

Research in Your Backyard

Developing Cures, Creating Jobs



**PHARMACEUTICAL
CLINICAL TRIALS IN
OHIO**

Dots show locations of clinical trials in the state.

PhRMA

Executive Summary

Clinical Trials in Ohio

- Biopharmaceutical research companies are conducting or have conducted nearly 5,000 clinical trials of new medicines in collaboration with the state's clinical research centers, university medical schools and hospitals (1999 to present).
- Of the nearly 5,000 clinical trials, 2,494 target or have targeted the nation's six most debilitating chronic diseases—**asthma, cancer, diabetes, heart disease, mental illnesses and stroke.**

Economic Benefits of Clinical Trials in Ohio

- Biopharmaceutical research companies have been an important source of jobs, tax revenue and research spending in Ohio.
- A study by Archstone Consulting found that in 2008 the industry supported more than 84,000 jobs throughout the state.
- Employees working directly for the companies were paid \$847.6 million, leading to more than \$24 million in state taxes and more than \$193 million in federal taxation.

- Biopharmaceutical research firms that year also invested \$734.6 million in research and development and supported \$16.2 billion in products and services.
- Company employees in Ohio include life sciences researchers, management executives, office and administrative support workers, engineers, architects, computer and math experts and sales representatives

About Clinical Trials

- In the development of new medicines, clinical trials are conducted to prove therapeutic safety and effectiveness and compile the evidence needed for the Food and Drug Administration (FDA) to approve treatments.

Clinical Trials in Ohio since 1999— Completed and Active

| All Clinical Trials | Six Major Chronic Diseases |
|---------------------|----------------------------|
| 4,972 | 2,494 |

Source: www.clinicaltrials.gov

Note: Search criteria = Ohio, Phase I, II, III; industry only.

Search performed 4/26/2012.

- Clinical tests of new drugs are conducted in three phases and account for an average of seven of the 10 to 15 years it takes to take a new drug from development to patients.
- Clinical trials for a given drug or treatment involve thousands of volunteer patient participants, and the generation of tens of thousands of pages of technical and scientific data.
- Clinical trials are responsible for 45 to 75 percent of the \$1.2 billion average cost of developing one new cutting-edge biotechnology medicine.
- Biopharmaceutical companies frequently hire local research institutions to conduct the tests.
- For patients, the trials offer another potential therapeutic option. Clinical tests may provide a new avenue of care for some chronic disease sufferers who are still searching for the medicines that are best for them.
- All clinical trials must be reviewed and approved by an Institutional Review Board (IRB), an independent committee of physicians, statisticians, local community advocates and others to ensure a trial is ethically conducted and patient rights are protected.

- Clinical trial progress reports must be submitted at least annually to the FDA and the IRB.
- All facilities that conduct or support biomedical research involving patients must comply with federal regulations and have an IRB.

Clinical Trials and Chronic Diseases

- Chronic diseases pose the greatest threats to our nation's health and our ability to treat and prevent medical conditions.

| Clinical Trials for Top Chronic Diseases | | |
|--|---------------------|----------------------------------|
| Chronic Disease | All Clinical Trials | Clinical Trials Still Recruiting |
| Asthma | 96 | 20 |
| Cancer | 1,183 | 262 |
| Diabetes | 368 | 53 |
| Heart Disease | 252 | 44 |
| Mental Illness | 552 | 86 |
| Stroke | 43 | 10 |
| Total | 2,494 | 475 |

Source: www.clinicaltrials.gov

Note: Search criteria = Ohio, Phase I, II, III; industry only. Search performed 4/26/2012. Some clinical trials appear in more than one disease category.

Clinical Trials in Ohio Communities

| Location | Asthma | Cancer | Diabetes | Heart Disease | Mental Illness | Stroke |
|------------------|--------|--------|----------|---------------|----------------|--------|
| Akron | -- | 11 | 9 | 7 | 3 | 3 |
| Beachwood | 1 | -- | 2 | -- | 13 | -- |
| Canton | 3 | 38 | 3 | 6 | 15 | 1 |
| Centerville | 1 | -- | 2 | 2 | -- | 2 |
| Cincinnati | 16 | 81 | 24 | 24 | 40 | 6 |
| Cleveland | 2 | 96 | 16 | 25 | 19 | 8 |
| Columbus | 5 | 103 | 18 | 21 | 16 | 7 |
| Dayton | 2 | 13 | 10 | 8 | 24 | 2 |
| Fairfield | -- | 2 | -- | 5 | -- | 1 |
| Garfield Heights | -- | -- | -- | 2 | 3 | 1 |
| Kettering | -- | 10 | 7 | 6 | -- | 2 |
| Mansfield | -- | 1 | -- | 2 | -- | 1 |
| Marion | 1 | -- | 7 | 5 | -- | 3 |
| Maumee | -- | 1 | 6 | 1 | -- | 1 |
| Mentor | 1 | -- | 5 | 2 | -- | 1 |
| Middletown | -- | 29 | -- | 1 | -- | -- |
| Perrysburg | -- | -- | 4 | 1 | -- | 1 |
| Sandusky | -- | 6 | -- | 3 | -- | 1 |
| Springfield | -- | -- | 2 | 3 | -- | 1 |
| Toledo | 3 | 12 | 8 | 10 | 12 | 4 |
| Westlake | -- | 2 | 1 | 2 | -- | 1 |
| Willoughby Hills | -- | 1 | 2 | 1 | -- | 1 |
| Youngstown | -- | 1 | -- | 1 | -- | 1 |
| Zanesville | -- | -- | 3 | 4 | -- | 2 |

Source: www.clinicaltrials.gov

Note: Search criteria = Ohio, Phase I, II, III; industry only. Search performed 4/26/2012. See Appendix for detailed information about these clinical trials. Disease columns will not match totals in the Appendix because some clinical trials are recruiting in more than one city.

- According to the Centers for Disease Control and Prevention, today, in the United States:

- Patients with chronic diseases **account for 75 cents of every dollar** spent on health care.
- Chronic diseases are the **leading cause of death and disability**.
- Chronic diseases are a **leading driver of rising health care costs** with expenses totaling billions of dollars every year.

- Biopharmaceutical research companies are developing new medicines to help treat those conditions that are taking an unprecedented toll on American lives, and many of these medicines are being tested today in clinical trials throughout Ohio.
- Since 1999, biopharmaceutical research companies are sponsoring or have sponsored 2,494 clinical trials of potential new medicines in Ohio alone for **asthma, cancer, heart disease, stroke, diabetes and mental illnesses**. Of these trials, 475 are either not yet recruiting or are just now seeking Ohio patients.
- Many of the state's clinical tests involve collaborations with such respected local

institutions as the **Cleveland Clinic Foundation** and the **University Hospitals of Cleveland** at **Case Western Reserve University** in Cleveland, the **Ohio State University Medical Center** in Columbus, and the **Linder Research Center at Christ Hospital** and the **University of Cincinnati Medical Center** in Cincinnati.

- Many of the medicines being clinically tested here are new-generation biotechnology treatments.

Clinical Trials in Ohio

Clinical tests of new medicines are a vitally important part of the drug development and approval process—they account for 45 to 75 percent of the \$1.2 billion average cost of developing a new drug and are conducted to determine the safety and effectiveness of that treatment in patients.

Some trials are also conducted to compare existing treatments and some are done to learn if a drug is appropriate for a different patient population, such as children. Still others are conducted to find ways to make existing approved drugs more effective and easier to use with fewer side effects.

It's essential that trials be conducted properly so that clinicians and drug reviewers can develop accurate assessments of the efficacy and safety of medicines used by patients. The FDA is a vigilant regulatory agency and its pharmaceutical review officers are effective in detecting flawed information.

Questionable or confusing data can lead to lengthy delays in product approval or outright FDA rejection of a new drug.

Biopharmaceutical research companies are looking for the best physicians and research institutions to meticulously help design and conduct their clinical trials to determine whether a medicine is safe and effective. Side effects must be painstakingly documented and a determination made as to whether they occur too often and are dangerous.

Clinical tests involve three phases and thousands of volunteer patients and are often conducted at multiple sites

Clinical Trials for Top Chronic Diseases

| Chronic Disease | All Clinical Trials | Clinical Trials Still Recruiting |
|-----------------|---------------------|----------------------------------|
| Asthma | 96 | 20 |
| Cancer | 1,183 | 262 |
| Diabetes | 368 | 53 |
| Heart Disease | 252 | 44 |
| Mental Illness | 552 | 86 |
| Stroke | 43 | 10 |
| Total | 2,494 | 475 |

Source: www.clinicaltrials.gov

Note: Search criteria = Ohio, Phase I, II, III; industry only. Search performed 4/26/2012. Some clinical trials appear in more than one disease category.

around the country. In Ohio, biopharmaceutical companies have the opportunity of conducting trials at the states' well-respected university medical schools, comprehensive cancer centers, and clinical trial research centers. According to *U.S. News and World Report*, Case Western Reserve University ranked 22nd, The Ohio State University ranked 38th, and the University of Cincinnati ranked 42nd among last year's top 100 research-oriented medical schools in the United States. Other ranked medical schools included Northeast Ohio Medical University in Rootstown, the University of Toledo, and Wright State University in Dayton.

Asthma is a debilitating condition for more than 24 million Americans, including 7 million children under the age of 18. The toll is also severe in Ohio—in 2010, an estimated 1.2 million adults and 412,000 children suffered from asthma, according to the Ohio Department of Health.

Currently, 20 clinical trials of new asthma medicines are recruiting patients in Ohio. Trials are being conducted at the **Bernstein Clinical Research Center** and the **Cincinnati Children's Hospital Medical Center** in Cincinnati, **Dayton Clinical Research** in Dayton, and **Toledo Center for Clinical Research** in Sylvania.

Cancer, the second leading cause of death in the United States, now afflicts nearly 12 million Americans, according to the National Cancer Institute. In Ohio, more than 66,000 new cancer cases will be diagnosed this year and 25,030 victims in the state will die, according to the American Cancer Society.

Currently, 262 clinical trials of new cancer medicines are recruiting patients in Ohio. Biopharmaceutical companies are collaborating on the tests with such prominent institutions as the **Taussig Cancer Institute at Cleveland Clinic** and the **Seidman Cancer Center at University Hospitals** in Cleveland. Other trials are being conducted at the **Arthur G. James Cancer Hospital and Richard J. Solove Research Institute at Ohio State University** in Columbus, the **Mercy Cancer Center at Mercy St. Anne Hospital** in Toledo, the **Gabrail Cancer Center** in Canton, the **Mercy Cancer Center** in Elyria, and the **University of Cincinnati Cancer Institute** in Cincinnati.

Diabetes affects more than 25 million Americans—about 8 percent of the U.S. population—and nearly one-third are unaware they have the disease. In Ohio, an estimated 889,381 adults have been diagnosed with diabetes, according to the Ohio Department of Health.

Currently, 53 diabetes clinical tests are seeking patients in Ohio. The trials are being conducted at the **Akron Children's Hospital** in Akron, **Case Western Reserve University** in Cleveland, the **Ohio University College of Osteopathic Medicine** in Athens, the **University of Toledo** in Toledo, and **The Carl and Edyth Linder Center for Research and Education at Christ Hospital** in Cincinnati.

Heart disease and stroke are the first and fourth leading disease causes of death in the United States and in Ohio. According to the American Heart Association, more

than 82 million Americans are affected by these diseases. In Ohio, in 2009, more than 25,800 residents died from some form of heart disease and more than 5,500 died from a stroke, according to the Ohio Department of Health.

Currently, 44 heart disease and 10 stroke clinical tests are seeking patients in Ohio. Trials are being conducted at the **Cardiovascular Research Center** in Toledo, **Cincinnati Children's Hospital Medical Center** and the **University of Cincinnati Medical Center** in Cincinnati, the **Cardiology Department at The Cleveland Clinic** and the **Harrington-McLaughlin Heart and Vascular Institute** in Cleveland, the **Richard M. Ross Heart Hospital at The Ohio State University** in Columbus, the **North Ohio Heart Center** in Elyria, and the **Kettering Medical Center** in Kettering.

Mental illness affects nearly 60 million Americans suffering from some form of the disease—from anxiety to depression to schizophrenia to eating disorders. In Ohio, nearly 418,000 adults live with serious mental illness and about 124,000 children live with serious mental health conditions, according to the National Alliance on Mental Illness.

Currently, 86 clinical trials on mental illness are recruiting patients in Ohio. Trials are taking place at **The Ohio State University Nisonger Center** in Columbus, the **Department of Psychiatry and Behavioral Neuroscience at the University of Cincinnati** and the **Lindner Center for HOPE** in Cincinnati, the **Akron Children's Hospital** in Akron, the **Neurology and Neuroscience Center of Ohio** in Toledo, the **Ohio Sleep Medicine Institute** in Dublin, and the **University Hospitals of Cleveland Case Medical Center** and the **VA Medical Center** in Cleveland.

Physicians and patients can find out about clinical trials being conducted across the state in collaboration with local institutions by accessing www.clinicaltrials.gov, a database sponsored by the National Institutes of Health. Information on medicines in development is also available on www.phrma.org, the website of the Pharmaceutical Research and Manufacturers of America (PhRMA).

What is the Clinical Trial Experience?

Clinical trials are research studies which grant participants early access to new drugs, treatments, and therapies that are being developed to help combat chronic, serious and life threatening diseases. By volunteering for a clinical trial, patients take an active role in their healthcare by helping researchers test new medical treatments, and helping to find better ways of using existing treatments so they will be more effective, easier to use, and result in fewer or more tolerable side effects. In Ohio alone, thousands of clinical trials are taking place to study diseases like asthma, cancer, diabetes, heart disease, mental illness, and stroke.

Phases of Clinical Trials

There are three phases of testing used to evaluate new drugs and treatments:

Phase I—This phase is designed to test the safety of a new drug or treatment. Researchers test the drug on a small group of people (20–80) and evaluate safety aspects of the drug, such as safe dosage range, the best way of administering the treatment (pill form vs. a shot for example), and identifying what, if any, side effects present themselves.

Phase II—This phase is designed to test efficacy and to further measure safety. The treatment is given to a larger group of people (100–300) to make sure the treatment works correctly, and to try to identify any less-common side effects, which may appear when more people are

tested. This phase is usually placebo-controlled and double-blinded, meaning neither the patient nor the doctor knows whether the patient is getting the placebo or the real treatment.

Phase III—This phase is meant to confirm efficacy and safety information, monitor known side effects, and compare the experimental treatment to commonly used ones to see which work better. A large group (1000–3000) receives this treatment, and like Phase II, it is usually placebo-controlled and double-blinded.

Learning About and Accessing Clinical Trials

There are several ways patients can access information about clinical trials. Healthcare providers are aware of clinical trials being conducted at hospitals, universities, and other leading healthcare facilities, and can be valuable sources of information for patients looking to participate. Patients can also turn to hospitals' and universities' websites to see what studies are being conducted in their area, and what the eligibility criteria are for each trial. More information about clinical trials and volunteering can be found at <http://centerwatch.com/>, a PhRMA-recommended website.

What to Expect

Treatments for clinical trials usually take place in a doctor's office. Patients may need to devote more time to doctor's visits and physical exams than they would normally. They may also have additional responsibilities, like keeping a daily log of their health. All prospective participants must sign an informed consent document saying they understand the clinical trial is research, and that they can leave the trial at any time. Once they have consulted with their healthcare providers, patients can reach out via phone or email to express interest in participating, at which point a pre-screening interview will take place. If the patient matches the trial's criteria, they will then be able to enroll in the study.

Patient Expenses

Patients should always ask during their pre-screening interviews what it will cost them to participate in a clinical trial. Sponsors for clinical trials will usually pay for all research-related costs and any additional testing or doctor's visits the trial requires. Patients or their insurance companies may be asked to pay for any routine treatments that they would normally undergo for their disease. However, some health plans do not pay for these costs once a patient joins the trial. Patients should be sure to check with the clinic conducting the trial to find out if they or their insurance companies will be charged with any

fees, and should make sure their insurance companies will cover the costs of routine exams if they join a trial.

Non-local patients should be sure to look into the sponsoring clinic's policy on patient living arrangements. The National Cancer Institute, for example, makes patients responsible for their own travel costs for the initial screening visits. Once a patient is enrolled, the Institute will pay for transportation costs for all subsequent trial-related visits. These patients will receive a small per diem for food and lodging. The policy will differ from clinic to clinic.

New Generation Medicines in Development

Many of the medicines being tested in Ohio are cutting-edge biotechnology drugs.

America's biopharmaceutical research companies are using biotechnology to develop hundreds of medicines and vaccines today. And Ohio is one of the states where extensive new-generation research and development work is being done.

Through biotechnology, new ways are being developed to not only more effectively treat disease, but also to predict, preempt, and prevent it.

Biotechnology medicines are developed through biological processes using living cells or organisms, rather than traditional chemical synthesis, the mainstay of pharmaceutical development for decades.

Such novel treatments use a variety of new approaches to treat disease. For example, a monoclonal antibody is a laboratory-made version of the naturally occurring immune system protein that binds to and neutralizes foreign invaders. Interferons are proteins that interfere with the ability of a cell to reproduce.

Antisense drugs, meanwhile, are medicines that interfere with the communication process that tells a cell to produce an unwanted protein. In addition, nanotechnology is

being used in biotechnology research to provide drug-delivery systems, new treatments, and diagnostics.

Many of the medicines in clinical testing at Ohio medical schools and research centers feature these technologies.

For example:

- A genetically-modified virus-based vaccine to treat melanoma.
- A monoclonal antibody for the treatment of cancer.
- An antisense medicine for the treatment of cancer.
- A recombinant fusion protein to treat age-related macular degeneration and diabetic macular edema.
- A monoclonal antibody in the pipeline targets lupus and various types of cancer.
- A therapeutic vaccine, designed to jump-start the immune system to fight disease, is in development for lung cancer and melanoma.

These are only a portion of the examples of new ways the nation's biopharmaceutical companies and Ohio research institutions are working together to attack disease. The biotechnology medicines and vaccines in development promise to push the frontiers of science and potentially bring more and better treatments to patients.

Conclusion

Biopharmaceutical companies' close collaboration with clinicians and research institutions in Ohio benefits patients, the state's economy, and the advancement of science and patient care. Clinical trial work is good business for the state's medical schools and clinical research centers and the medicines being tested are often cutting-edge cell and protein treatments with the potential to be safer and more effective than older chemical compound drugs.

What's more, Ohioans contemplating participation in clinical trials, in consultation with their doctors, have a wide range of choices—nearly 500 tests of new medicines for the six most debilitating chronic diseases in America are underway in communities large and small all over the state and they need patient volunteers.

The Drug Discovery, Development and Approval Process

It takes 10-15 years on average for an experimental drug to travel from the lab to U.S. patients. Only five in 5,000 compounds that enter preclinical testing make it to human testing. One of these five tested in people is approved.

| Clinical Trials | | | | | | | | |
|-----------------|---|-----------------|------------------------------|---|---|---|--------------------------|----------|
| | Discovery/ Preclinical Testing | File IND at FDA | Phase I | Phase II | Phase III | File NDA/BLA at FDA | FDA | Phase IV |
| Years | 6.5 | | 1.5 | 2 | 3.5 | | 1.5 | |
| Test Population | Laboratory and animal studies | | 20 to 100 healthy volunteers | 100 to 500 patient volunteers | 1,000 to 5,000 patient volunteers | | Review process/ approval | |
| Purpose | Assess safety, biological activity and formulations | | Determine safety and dosage | Evaluate effectiveness, look for side effects | Confirm effectiveness, monitor adverse reactions from long-term use | | | |
| Success Rate | 5,000 compounds evaluated | | 5 enter trials | | | | 1 approved | |
| | | | | | | Additional post-marketing testing required by FDA | | |

The Drug Development and Approval Process

The U.S. system of new drug approvals is perhaps the most rigorous in the world.

It takes 10-15 years, on average, for an experimental drug to travel from lab to U.S. patients, according to the Tufts Center for the Study of Drug Development. Only five in 5,000 compounds that enter preclinical testing make it to human testing. And only one of those five is approved for sale.

On average, it costs a company \$1.2 billion, including the cost of failures, to get one new medicine from the laboratory to U.S. patients, according to a 2007 study by the Tufts Center for the Study of Drug Development.

Once a new compound has been identified in the laboratory, medicines are usually developed as follows:

Preclinical Testing. A pharmaceutical company conducts laboratory and animal studies to show biological activity of the compound against the targeted disease, and the compound is evaluated for safety.

Investigational New Drug Application (IND). After completing preclinical testing, a company files an IND with the U.S. Food and Drug

Administration (FDA) to begin to test the drug in people. The IND shows results of previous experiments; how, where and by whom the new studies will be conducted; the chemical structure of the compound; how it is thought to work in the body; any toxic effects found in the animal studies; and how the compound is manufactured. All clinical trials must be reviewed and approved by the Institutional Review Board (IRB) where the trials will be conducted. Progress reports on clinical trials must be submitted at least annually to FDA and the IRB.

Clinical Trials, Phase I. These tests usually involve about 20 to 100 healthy volunteers. The tests study a drug's safety profile, including the safe dosage range. The studies also determine how a drug is absorbed, distributed, metabolized, and excreted as well as the duration of its action.

Clinical Trials, Phase II. In this phase, controlled trials of approximately 100 to 500 volunteer patients (people with the disease) assess a drug's effectiveness and determine the early side effect profile.

Clinical Trials, Phase III. This phase usually involves 1,000 to 5,000 patients in clinics and

hospitals. Physicians monitor patients closely to confirm efficacy and identify adverse events.

New Drug Application (NDA)/Biologic License Application (BLA). Following the completion of all three phases of clinical trials, a company analyzes all of the data and files an NDA or BLA with FDA if the data successfully demonstrate both safety and effectiveness. The applications contain all of the scientific information that the company has gathered. Applications typically run 100,000 pages or more.

Approval. Once FDA approves an NDA or BLA, the new medicine becomes available for physicians to prescribe. A company must continue to submit periodic reports to FDA, including any cases of adverse reactions and appropriate quality-control records. For some medicines, FDA requires additional trials (Phase IV) to evaluate long-term effects.

Discovering and developing safe and effective new medicines is a long, difficult, and expensive process. PhRMA member companies invested an estimated \$49.5 billion in research and development in 2011.

The Good News – Many Clinical Trials are Still Recruiting

There are 475 clinical trials recruiting in Ohio. These trials target the top six chronic diseases and other debilitating diseases affecting Americans and Ohioans.

| Clinical Trials in Ohio Communities | | | | | | |
|-------------------------------------|--------|--------|----------|---------------|----------------|--------|
| Location | Asthma | Cancer | Diabetes | Heart Disease | Mental Illness | Stroke |
| Akron | – | 11 | 9 | 7 | 3 | 3 |
| Beachwood | 1 | – | 2 | – | 13 | -- |
| Canton | 3 | 38 | 3 | 6 | 15 | 1 |
| Centerville | 1 | – | 2 | 2 | – | 2 |
| Cincinnati | 16 | 81 | 24 | 24 | 40 | 6 |
| Cleveland | 2 | 96 | 16 | 25 | 19 | 8 |
| Columbus | 5 | 103 | 18 | 21 | 16 | 7 |
| Dayton | 2 | 13 | 10 | 8 | 24 | 2 |
| Fairfield | -- | 2 | – | 5 | – | 1 |
| Garfield Heights | -- | – | – | 2 | 3 | 1 |
| Kettering | -- | 10 | 7 | 6 | – | 2 |
| Mansfield | -- | 1 | -- | 2 | – | 1 |
| Marion | 1 | – | 7 | 5 | – | 3 |
| Maumee | -- | 1 | 6 | 1 | – | 1 |
| Mentor | 1 | – | 5 | 2 | – | 1 |
| Middletown | -- | 29 | – | 1 | – | -- |
| Perrysburg | -- | – | 4 | 1 | – | 1 |
| Sandusky | -- | 6 | – | 3 | – | 1 |
| Springfield | -- | – | 2 | 3 | – | 1 |
| Toledo | 3 | 12 | 8 | 10 | 12 | 4 |
| Westlake | -- | 2 | 1 | 2 | – | 1 |
| Willoughby Hills | -- | 1 | 2 | 1 | – | 1 |
| Youngstown | -- | 1 | – | 1 | – | 1 |
| Zanesville | -- | – | 3 | 4 | – | 2 |

Source: www.clinicaltrials.gov

Note: Search criteria = Ohio, Phase I, II, III; industry only. Search performed 4/26/2012. See Appendix for detailed information about these clinical trials. Disease columns will not match totals in the Appendix because some clinical trials are recruiting in more than one city.

The Good News—Many Clinical Trials are Still Recruiting

(continued)

Asthma—Leading Institutions Conducting Clinical Trials

Bernstein Clinical Research Center, Cincinnati
Cincinnati Children's Hospital Medical Center,
Cincinnati
Dayton Clinical Research, Dayton
New Horizons Clinical Research, Cincinnati
Optimed Research, Columbus
Toledo Center for Clinical Research, Sylvania

Cancer—Leading Institutions Conducting Clinical Trials

Arthur G. James Cancer Hospital and Richard J.
Solove Research Institute at Ohio State University,
Columbus
Barberton Citizens Hospital Cancer Center, Barberton
The Christ Hospital, Cincinnati
Cincinnati Children's Hospital Medical Center,
Cincinnati
Cleveland Clinic Hospital, Cleveland
Columbus Urology Research, Columbus
Dayton Clinical Oncology Program, Dayton
Forum Health Cancer Care Center, Youngstown
Gabrail Cancer Center Research, Canton
Greater Cincinnati OB/GYN, Cincinnati
Hematology Oncology Consultants, Columbus
Hickman Cancer Center at Flower Hospital, Sylvania
Jean and Milton Cooper Cancer Center, Akron
Kettering Medical Center Health Network, Kettering
Mercy Cancer Center, Elyria
Mercy Cancer Center at Mercy St. Anne Hospital,
Toledo
Mercy St. Vincent Medical Center, Toledo
Miami Valley Hospital, Kettering
Mid-Ohio Oncology/Hematology, Columbus
Nationwide Children's Hospital, Columbus
North Coast Cancer Care, Sandusky
Ohio Cancer Specialists, Mansfield
The Ohio State University Medical Center, Columbus
Oncology Hematology Care, Cincinnati
ProMedica Health System, Toledo
Riverside Methodist Hospital, Columbus

Rose Ella Burkhardt Brain Tumor and Neuro-
Oncology Center at Cleveland Clinic, Cleveland
Signal Point Clinical Research Center, Middletown
Summa Akron City Hospital, Akron
The Taussig Cancer Institute at Cleveland Clinic,
Cleveland
Toledo Clinic Cancer Center, Toledo
Toledo Community Hospital Oncology Program,
Toledo
Toledo Hospital, Toledo
Triology Cancer Care, Wooster
TriState Urologic Services, Cincinnati
University Hospitals of Cleveland at Case Western
Reserve University, Cleveland
University Hospitals Seidman Cancer Center, Cleveland
University of Cincinnati Cancer Institute, Cincinnati
University of Cincinnati Physicians, Cincinnati
University Pointe, West Chester

Diabetes—Leading Institutions Conducting Clinical Trials

Akron Children's Hospital, Akron
Case Western Reserve University, Cleveland
Cleveland Clinic, Cleveland
Cleveland Clinic Foundation, Cleveland
Clinical Inquest Center, Beavercreek
Clinical Research Limited, Canton
Clinical Research Source, Perrysburg
Community Research, Cincinnati
Family Practice Center of Wadsworth, Wadsworth
MedPace Clinical Pharmacology, Cincinnati
Metrohealth Medical Center, Cleveland
Nationwide Children's Hospital, Columbus
Neurology and Neuroscience Center of Ohio, Toledo
Ohio College of Podiatric Medicine, Independence
The Ohio State University Comprehensive Wound
Center, Columbus
The Ohio State University, Columbus
Ohio University College of Osteopathic Medicine,
Athens
Providence Health Partners, Dayton
Retina Associates of Cleveland, Beachwood
Sterling Research Group, Cincinnati

The Linder Research Center at Christ Hospital,
Cincinnati
University of Cincinnati, Cincinnati
University of Toledo, Toledo
Wells Institute for Health Awareness, Kettering
Your Diabetes Endocrine Nutrition Group, Mentor

Heart Disease and Stroke—Leading Institutions Conducting Clinical Trials

Cardiology Associates of Southeast Ohio, Zanesville
Cardiovascular Associates of Cleveland, Mayfield
Heights
Cardiovascular Research Center, Toledo
Carl and Edyth Linder Center for Research and
Education at The Christ Hospital, Cincinnati
Cincinnati Children's Hospital Medical Center,
Cincinnati
Cleveland Clinic Foundation, Cardiology Department,
Cleveland
Good Samaritan Hospital, Dayton
Harrington-McLaughlin Heart and Vascular Institute,
University Hospitals of Cleveland, Cleveland
Kettering Medical Center, Kettering
Mercy Hospital, Fairfield
Metrohealth Medical Center, Cleveland
North Ohio Heart Center-North Ohio Research,
Elyria
Northeast Ohio Cardiovascular, Akron
Ohio Health Research Institute, Columbus
Richard M. Ross Heart Hospital at The Ohio State
University Medical Center, Columbus
Riverside Methodist Hospital, Columbus
Southwest Cardiology, Kettering
University Hospitals of Cleveland Case Medical
Center, Cleveland
University of Cincinnati Medical Center, Cincinnati
University of Toledo, Toledo
VA Medical Center, Cleveland

Mental Illness—Leading Institutions Conducting Clinical Trials

Akron Children's Hospital, Akron

Charak Clinical Research Center, Beachwood,
Garfield Heights
The Christ Hospital, Cincinnati
Cincinnati Addiction Research Center, Cincinnati
Cincinnati Children's Hospital Medical Center,
Cincinnati
Cincinnati VA Medical Center, Cincinnati
Cleveland Clinic Sleep Disorders Center, Cleveland
Community Research, Cincinnati
Department of Psychiatry and Behavioral Neuroscience,
University of Cincinnati, Cincinnati
Lindner Center of HOPE at the University of
Cincinnati, Cincinnati, Mason
Maryhaven, Columbus
Midwest Clinical Research Center, Dayton
Neuro-Behavioral Clinical Research, Canton
Neurology and Neuroscience Center of Ohio, Toledo
North Star Research, Middleburg Heights
NorthCoast Clinical Trials, Beachwood
Ohio Sleep Medicine Institute, Dublin
The Ohio State University Nisonger Center, Columbus
Patient Priority Clinical Sites, Cincinnati
Quest Therapeutics, Avon Lake
Radiant Research, Columbus
University Hospitals Case Medical Center, Cleveland
University Hospitals of Cleveland Medical Center,
Cleveland
University of Cincinnati, Cincinnati
VA Medical Center, Cleveland

Stroke—Leading Institutions Conducting Clinical Trials

Case Western Reserve University, Cleveland
Cleveland Clinic Foundation, Cleveland
Lindner Clinic Trial Center, Cincinnati
Metrohealth Medical Center, Cleveland
The Ohio State University, Columbus
Riverside Methodist Hospital, Columbus
University of Cincinnati, Cincinnati
University of Toledo, Toledo

Appendix

The clinical trials listed here involve tests that have not yet started recruiting patients or are just now seeking volunteers to participate. This information is potentially valuable to patients still seeking effective treatments for their chronic diseases. It provides a new therapeutic option to discuss with physicians.

Those interested in obtaining more information about certain trials can use the URL code listed for each test to log onto *www.clinicaltrials.gov*, the clinical tests database of the National Institutes of Health.

Asthma

(20 clinical trials recruiting)

Study 1:

A Study of the Effectiveness and Safety of Different Doses of Fluticasone Propionate Taken From a Dry Powder Inhaler in Adolescents and Adults Who Have Asthma That is Not Controlled by Asthma Medications Not Containing Steroids

<http://ClinicalTrials.gov/show/NCT01479621>

Study 2:

A Study of the Effectiveness and Safety of Different Doses of Fluticasone Propionate Taken From a Dry Powder Inhaler (Puffer) in Adolescents and Adults Who Have Asthma That is Not Controlled by High Dose Inhaled Corticosteroid Asthma Medications

<http://ClinicalTrials.gov/show/NCT01576718>

Study 3:

Safety of QMF149 Twisthaler® in Adolescent and Adult Patients With Asthma

<http://ClinicalTrials.gov/show/NCT00941798>

Study 4:

A Study to Evaluate the Efficacy and Safety of Reslizumab (3.0 mg/kg) in the Reduction of Clinical Asthma Exacerbations and Change in Lung Function in Patients (12-75 Years of Age) With Eosinophilic Asthma

<http://ClinicalTrials.gov/show/NCT01287039>

Study 5:

A Safety, Efficacy and Tolerability Study in Pediatric Subjects With Asthma

<http://ClinicalTrials.gov/show/NCT00809757>

Study 6:

A 6-week Study in Asthmatic Children Aged 6 to <12 Yrs Comparing Budesonide pMDI 160ug Twice Daily With Placebo

<http://ClinicalTrials.gov/show/NCT01136382>

Study 7:

A Study of Lebrikizumab in Patients With Uncontrolled Asthma Who Are on Inhaled Corticosteroids and A Second Controller Medication (VERSE)

<http://ClinicalTrials.gov/show/NCT01545453>

Study 8:

A Study of MEMP1972A in Patients With Allergic Asthma Inadequately Controlled on Inhaled Steroids And A Second Controller (COSTA)

<http://ClinicalTrials.gov/show/NCT01582503>

Study 9:

Safety Study in Adolescent and Adult Patients With Asthma

<http://ClinicalTrials.gov/show/NCT01476904>

Study 10:

Efficacy and Safety of 2 Doses of Tiotropium Via Respimat Compared to Placebo in Adolescents With Moderate Persistent Asthma

<http://ClinicalTrials.gov/show/NCT01257230>

Study 11:

Efficacy, Safety, and Tolerability of SAR231893 (REGN668) in Patients With Persistent Moderate to Severe Eosinophilic Asthma

<http://ClinicalTrials.gov/show/NCT01312961>

Study 12:

Evaluation of Tiotropium 2.5 and 5 Mcg Once Daily Delivered Via the Respimat® Inhaler Compared to Placebo and Salmeterol HydrofluoroAlkane (HFA) Metered Dose Inhaler (MDI) (50 Mcg Twice Daily) in Patient With Moderate Persistent Asthma II

<http://ClinicalTrials.gov/show/NCT01172821>

Study 13:

A Study of Mometasone Furoate Metered Dose Inhaler in Children With Persistent Asthma (P04223 AM2)

<http://ClinicalTrials.gov/show/NCT01502371>

Study 14:

Clinical Study Evaluating Safety and Efficacy of Fluticasone Furoate and Fluticasone Propionate in People With Asthma

<http://ClinicalTrials.gov/show/NCT01436110>

Study 15:

A Study of Lebrikizumab in Patients Whose Asthma is Uncontrolled With Inhaled Corticosteroids and A Second Controller Medication (LUTE)

<http://ClinicalTrials.gov/show/NCT01545440>

Study 16:

A Study to Evaluate the Efficacy and Safety of Reslizumab (0.3 or 3.0 mg/kg) as Treatment for Patients (12-75 Years of Age) With Eosinophilic Asthma

<http://ClinicalTrials.gov/show/NCT01270464>

Study 17:

A Study of ARRY-502 in Patients With Persistent Asthma

<http://ClinicalTrials.gov/show/NCT01561690>

Study 18:

New Breath Actuated MDI Symbicort Compared to Symbicort pMDI and Budesonide pMDI for 12 Weeks Twice a Day

<http://ClinicalTrials.gov/show/NCT01360021>

Study 19:

Efficacy and Safety of Budesonide Foam for Patients With Active Mild to Moderate Ulcerative Proctitis or Proctosigmoiditis

<http://ClinicalTrials.gov/show/NCT01008410>

Study 20:

Efficacy and Safety of Budesonide Foam for Patients With Active Mild to Moderate Ulcerative Proctitis or Proctosigmoiditis

<http://ClinicalTrials.gov/show/NCT01008423>

Cancer

(262 clinical trials recruiting)

Study 1:

Study of ACE-011 to Determine Safe and Effective Dose of ACE-011 for the Treatment of Chemotherapy Induced Anemia in Patients With Advanced Non-small Cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT01284348>

Study 2:

Anemia Treatment for Advanced Non-Small Cell Lung Cancer (NSCLC) Patients Receiving Chemotherapy

<http://ClinicalTrials.gov/show/NCT00858364>

Study 3:

A Study of IMC-1121B or IMC-18F1 in Colorectal Cancer

<http://ClinicalTrials.gov/show/NCT01111604>

Study 4:

PAVES: Pegfilgrastim Anti-VEGF Evaluation Study

<http://ClinicalTrials.gov/show/NCT00911170>

Study 5:

Study of Abiraterone Acetate in Patients With Advanced Prostate Cancer

<http://ClinicalTrials.gov/show/NCT01217697>

Study 6:

E7050 in Combination With Cisplatin and Capecitabine Versus Cisplatin and Capecitabine Alone in Patients With Advanced or Metastatic Solid Tumors and Previously Untreated Gastric Cancer

<http://ClinicalTrials.gov/show/NCT01355302>

Study 7:

Trial of Gemcitabine/Carboplatin With or Without Iniparib (SAR240550) (a PARP1 Inhibitor) in Subjects With Previously Untreated Stage IV Squamous Non-Small-Cell Lung Cancer (NSCLC)

<http://ClinicalTrials.gov/show/NCT01082549>

Study 8:

Study of Denosumab as Adjuvant Treatment for Women With High Risk Early Breast Cancer Receiving Neoadjuvant or Adjuvant Therapy (D-CARE)

<http://ClinicalTrials.gov/show/NCT01077154>

Study 9:

ARQ 197 Plus Erlotinib Versus Placebo Plus Erlotinib for the Treatment of Non-squamous, Non-small-cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT01244191>

Study 10:

A Study of Onartuzumab (MetMab) in Combination With Tarceva (Erlotinib) in Patients With Met Diagnostic-Positive Non-Small Cell Lung Cancer Who Have Received Chemotherapy For Advanced or Metastatic Disease (MetLung)

<http://ClinicalTrials.gov/show/NCT01456325>

Study 11:

A Study of Ramucirumab in Patients With Gastric, Esophageal and Gastroesophageal Cancer

<http://ClinicalTrials.gov/show/NCT01246960>

Study 12:

Study of Safety and Tolerability of PCI-27483 in Patients With Pancreatic Cancer Patients Receiving Treatment With Gemcitabine

<http://ClinicalTrials.gov/show/NCT01020006>

Study 13:

Study of a Drug [DCVax®-L] to Treat Newly Diagnosed GBM Brain Cancer

<http://ClinicalTrials.gov/show/NCT00045968>

Study 14:

Efficacy and Safety Evaluation of EN3348 (Mycobacterial Cell Wall-DNA Complex [MCC]) as Compared With Mitomycin C in the Intravesical Treatment of Subjects With BCG Recurrent/Refractory Non-muscle Invasive Bladder Cancer

<http://ClinicalTrials.gov/show/NCT01200992>

Study 15:

A Study of MDV3100 Versus Bicalutamide in Castrate Men With Metastatic Prostate Cancer

<http://ClinicalTrials.gov/show/NCT01288911>

Study 16:

GRN1005 Alone or in Combination With Trastuzumab in Breast Cancer Patients With Brain Metastases

<http://ClinicalTrials.gov/show/NCT01480583>

Study 17:

Phase III Study of the Effect of GTx-024 on Muscle Wasting in Patients With Non-Small Cell Lung Cancer (NSCLC)

<http://ClinicalTrials.gov/show/NCT01355484>

Study 18:

A Study of Pertuzumab in Addition to Chemotherapy and Herceptin (Trastuzumab) as Adjuvant Therapy in Patients With HER2-Positive Primary Breast Cancer

<http://ClinicalTrials.gov/show/NCT01358877>

Study 19:

Effect of GTx-024 on Muscle Wasting in Patients With Non-Small Cell Lung Cancer (NSCLC) on First Line Platinum

<http://ClinicalTrials.gov/show/NCT01355497>

Study 20:

Efficacy and Safety of Zoledronic Acid (Every 4 Weeks vs. Every 12 Weeks) in Patients With Documented Bone Metastases From Bone Cancer

<http://ClinicalTrials.gov/show/NCT00320710>

Study 21:

A Phase 3 Efficacy Study of a Recombinant Vaccinia Virus Vaccine to Treat Metastatic Prostate Cancer

<http://ClinicalTrials.gov/show/NCT01322490>

Study 22:

Study of Imprime PGG® in Combination With Cetuximab in Subjects With Recurrent or Progressive KRAS Wild Type Colorectal Cancer

<http://ClinicalTrials.gov/show/NCT01309126>

Study 23:

Randomized Phase II Trial of Letrozole With or Without Dasatinib as First and Second-line Treatment for Hormone Receptor-positive, HER2-negative Postmenopausal Breast Cancer That is Unresectable, Locally Recurrent or Metastatic

<http://ClinicalTrials.gov/show/NCT00696072>

Study 24:

Immunotherapy Study for Surgically Resected Pancreatic Cancer

<http://ClinicalTrials.gov/show/NCT01072981>

Study 25:

Study Evaluating The Effects Of Neratinib After Adjuvant Trastuzumab In Women With Early Stage Breast Cancer

<http://ClinicalTrials.gov/show/NCT00878709>

Study 26:

Study for Women With Platinum Resistant Ovarian Cancer Evaluating EC145 in Combination With Doxil® (PROCEED)

<http://ClinicalTrials.gov/show/NCT01170650>

Study 27:

Study of Ganetespib (STA-9090) + Docetaxel in Advanced Non Small Cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT01348126>

Study 28:

IMAAGEN: Impact of Abiraterone Acetate in Prostate-Specific Antigen

<http://ClinicalTrials.gov/show/NCT01314118>

Study 29:

A Study of Carboplatin and Paclitaxel With or Without MEDI-575 in Adults With Previously Untreated, Advanced Non-Small Cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT01268059>

Study 30:

A Multicenter Clinical Study of the Sonablate®500 for the Treatment of Locally Recurrent Prostate Cancer With HIFU

<http://ClinicalTrials.gov/show/NCT00772317>

Study 31:

A Study of Paclitaxel/Carboplatin With or Without IMC-3G3 in Previously Untreated Locally Advanced or Metastatic Non-Small Cell Lung Cancer (NSCLC)

<http://ClinicalTrials.gov/show/NCT00918203>

Study 32:

Erlotinib Is Being Studied With Or Without An Investigational Drug, PF-02341066, In Patients With Lung Cancer

<http://ClinicalTrials.gov/show/NCT00965731>

Study 33:

Study of IMC-18F1 or Ramucirumab DP in Combination With Capecitabine or Capecitabine on Previously Treated Breast Cancer Patients

<http://ClinicalTrials.gov/show/NCT01234402>

Study 34:

Study of MEDI-573 Plus Standard Endocrine Therapy for Women With Hormone-sensitive Metastatic Breast Cancer

<http://ClinicalTrials.gov/show/NCT01446159>

Study 35:

A Study of Abiraterone Acetate Plus Prednisone With or Without Exemestane in Postmenopausal Women With Estrogen Receptor-Positive (ER+) Metastatic Breast Cancer Progressing After Letrozole or Anastrozole Therapy

<http://ClinicalTrials.gov/show/NCT01381874>

Study 36:

Study of Bevacizumab/mFOLFOX6 Versus Bevacizumab/Folfinir With Biomarker Stratification in Patients With Previously Untreated Metastatic Colorectal Cancer

<http://ClinicalTrials.gov/show/NCT01374425>

Study 37:

Cabazitaxel Versus Docetaxel Both With Prednisone in Patients With Metastatic Castration Resistant Prostate Cancer

<http://ClinicalTrials.gov/show/NCT01308567>

Study 38:

A Study of Avastin (Bevacizumab) in Combination With Standard of Care Treatment in Patients With Lung Cancer

<http://ClinicalTrials.gov/show/NCT01351415>

Study 39:

Safety and Efficacy of Anamorelin HCl in Patients With Non-Small Cell Lung Cancer-Cachexia (ROMANA 2)

<http://ClinicalTrials.gov/show/NCT01387282>

Study 40:

Study Evaluating the Safety and Efficacy Of Carboplatin/Paclitaxel And Carboplatin/Paclitaxel/ Bevacizumab With and Without GDC-0941 in Patients With Previously Untreated Advanced Or Recurrent Non-small Cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT01493843>

Study 41:

A Study of Onartuzumab (MetMAB) Versus Placebo in Combination With Paclitaxel Plus Platinum in Patients With Squamous Non-Small Cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT01519804>

Study 42:

Safety and Efficacy Trial of Ipilimumab Versus Pemetrexed in Non-Squamous Non-Small Cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT01471197>

Study 43:

A Phase 2b Study of Modified Vaccinia Virus to Treat Advanced Liver Cancer

<http://ClinicalTrials.gov/show/NCT01387555>

Study 44:

A Phase 1b Study of AMG 386 in Combination With Either Pegylated Liposomal Doxorubicin or Topotecan in Subjects With Advanced Recurrent Epithelial Ovarian Cancer

<http://ClinicalTrials.gov/show/NCT00770536>

Study 45:

Safety Study of AMG 386 to Treat HER2-positive Locally Recurrent or Metastatic Breast Cancer

<http://ClinicalTrials.gov/show/NCT00807859>

Study 46:

A Study of MM-121 With Paclitaxel in Platinum Resistant/ Refractory Advanced Ovarian Cancers

<http://ClinicalTrials.gov/show/NCT01447706>

Study 47:

Study of Patients With Advanced Non-Small Cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT00948675>

Study 48:

Phase III Lucanix™ Vaccine Therapy in Advanced Non-small Cell Lung Cancer (NSCLC) Following Front-line Chemotherapy

<http://ClinicalTrials.gov/show/NCT00676507>

Study 49:

Study of Cabozantinib (XL184) Versus Mitoxantrone Plus Prednisone in Men With Previously Treated Symptomatic Castration-resistant Prostate Cancer

<http://ClinicalTrials.gov/show/NCT01522443>

Study 50:

A Study in Ovarian, Non-Small Cell Lung, Prostate, Colorectal, Gastroesophageal Cancers, and Squamous Cell Carcinoma of the Head and Neck

<http://ClinicalTrials.gov/show/NCT01059643>

Study 51:

Comparison of Docetaxel/Prednisone to Docetaxel/Prednisone in Combination With OGX-011 in Men With Prostate Cancer

<http://ClinicalTrials.gov/show/NCT01188187>

Study 52:

Efficacy and Safety of Multi-Instillations of Apaziquone in Patients With Non-Muscle Invasive Bladder Cancer

<http://ClinicalTrials.gov/show/NCT01410565>

Study 53:

A Study of ARRY-438162 (MEK162) in Patients With Advanced Cancer

<http://ClinicalTrials.gov/show/NCT00959127>

Study 54:

A Study of Fractionated 90Y-hPAM4 Plus Gemcitabine for 3rd Line Treatment of Patients With Metastatic Pancreatic Cancer

<http://ClinicalTrials.gov/show/NCT01510561>

Study 55:

A Study of Chemotherapy and Ramucirumab vs. Chemotherapy Alone in Second Line Non-small Cell Lung Cancer Patients Who Received Prior First Line Platinum Based Chemotherapy

<http://ClinicalTrials.gov/show/NCT01168973>

Study 56:

Efficacy & Safety Study of MORAb-004 to Treat Metastatic Colorectal Cancer

<http://ClinicalTrials.gov/show/NCT01507545>

Study 57:

Study of XL147 (SAR245408) in Advanced or Recurrent Endometrial Cancer

<http://ClinicalTrials.gov/show/NCT01013324>

Study 58:

A Study to Evaluate New or Worsening Lens Opacifications in Subjects With Non-metastatic Prostate Cancer Receiving Denosumab for Bone Loss Due to Androgen-Deprivation Therapy

<http://ClinicalTrials.gov/show/NCT00925600>

Study 59:

A Study Combining mFOLFOX6 With Tivozanib or Bevacizumab in Patients With Metastatic Colorectal Cancer as First Line Therapy

<http://ClinicalTrials.gov/show/NCT01478594>

Study 60:

The BEACON Study (Breast Cancer Outcomes With NKTR-102)

<http://ClinicalTrials.gov/show/NCT01492101>

Study 61:

Combination With Gemcitabine in Advanced Pancreatic Cancer

<http://ClinicalTrials.gov/show/NCT01251640>

Study 62:

A Phase 1b Study of MDX-1106 in Subjects With Advanced or Recurrent Malignancies

<http://ClinicalTrials.gov/show/NCT00730639>

Study 63:

A Study of Onartuzumab (MetMab) in Combination With Bevacizumab (Avastin) Plus Platinum And Paclitaxel or With Pemetrexed Plus Platinum in Patients With Non-Squamous Non-Small Cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT01496742>

Study 64:

EMD525797 in Subjects With Asymptomatic or Mildly Symptomatic Metastatic Castrate-resistant Prostate Cancer

<http://ClinicalTrials.gov/show/NCT01360840>

Study 65:

Safety Study of Human Myeloid Progenitor Cells (CLT-008) After Cord Blood Transplant for Hematologic Malignancy

<http://ClinicalTrials.gov/show/NCT00891137>

Study 66:

Study of MM-398 Versus 5-Fluorouracil and Leucovorin in Patients With Metastatic Pancreatic Cancer

<http://ClinicalTrials.gov/show/NCT01494506>

Study 67:

TroVax® In Subjects With Hormone Refractory Prostate Cancer (HRPC)

<http://ClinicalTrials.gov/show/NCT01194960>

Study 68:

Safety and Efficacy of Cryoablation for Abdominal Pain Associated With Pancreatic Cancer

<http://ClinicalTrials.gov/show/NCT01335945>

Study 69:

A Study in Second Line Metastatic Colorectal Cancer

<http://ClinicalTrials.gov/show/NCT01183780>

Study 70:

Study of REOLYSIN® in Combination With FOLFIRI in Patients With Oxaliplatin Refractory/Intolerant KRAS Mutant Colorectal Cancer

<http://ClinicalTrials.gov/show/NCT01274624>

Study 71:

A Phase 1 Study of Safety and Bioactivity With FG-3019 in Combination With Gemcitabine and Erlotinib for Subjects With Locally Advanced or Metastatic Pancreatic Cancer

<http://ClinicalTrials.gov/show/NCT01181245>

Study 72:

Efficacy & Safety of ODSH (2-0, 3-0 Desulfated Heparin) in Patients With Metastatic Pancreatic Cancer Treated With Gemcitabine & Abraxane

<http://ClinicalTrials.gov/show/NCT01461915>

Study 73:

A Study of LY2523355 in Patients With Breast Cancer

<http://ClinicalTrials.gov/show/NCT01416389>

Study 74:

A Double-blind Study Evaluating IPI-504 and Docetaxel in Patients With Non-Small Cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT01362400>

Study 75:

Long Term Safety of Sativex® Oromucosal Spray (Sativex®; Nabiximols) as Adjunctive Therapy in Patients With Uncontrolled Persistent Chronic Cancer Related Pain

<http://ClinicalTrials.gov/show/NCT01337089>

Study 76:

A Study of Ramucirumab (IMC-1121B) in Combination With Eribulin Versus Eribulin Alone in Patients With Breast Cancer

<http://ClinicalTrials.gov/show/NCT01427933>

Study 77:

Safety and Tolerability Study of ISIS EIF4E Rx in Combination With Docetaxel and Prednisone (CRPC)

<http://ClinicalTrials.gov/show/NCT01234025>

Study 78:

Safety and Tolerability Study of ISIS EIF4E Rx in Combination With Carboplatin and Paclitaxel

<http://ClinicalTrials.gov/show/NCT01234038>

Study 79:

Efficacy and Safety of a Sunscreen Against Porfimer Sodium-induced Phototoxicity to Visible Light

<http://ClinicalTrials.gov/show/NCT01256203>

Study 80:

A Study of Tasquinimod in Men With Metastatic Castrate Resistant Prostate Cancer

<http://ClinicalTrials.gov/show/NCT01234311>

Study 81:

A Trial of E7080 (Lenvatinib) in 131I-Refractory Differentiated Thyroid Cancer

<http://ClinicalTrials.gov/show/NCT01321554>

Study 82:

Study Comparing Orteronel Plus Prednisone in Patients With Metastatic Castration-Resistant Prostate Cancer

<http://ClinicalTrials.gov/show/NCT01193257>

Study 83:

Cabazitaxel at 20 mg/m² Compared to 25 mg/m² With Prednisone for the Treatment of Metastatic Castration Resistant Prostate Cancer

<http://ClinicalTrials.gov/show/NCT01308580>

Study 84:

Safety and Efficacy of BKM120 in Patients With Metastatic Non-small Cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT01297491>

Study 85:

Chemotherapy and Radiation in Treating Patients With Stage 3 Non-Small Cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT00686959>

Study 86:

Efficacy/Safety of Imprime PGG[®] Injection With Bevacizumab and Paclitaxel/Carboplatin in Patients With Untreated Advanced Non-Small Cell Lung Cancer (NSCLC)

<http://ClinicalTrials.gov/show/NCT00874107>

Study 87:

A Study of Pertuzumab in Combination With Herceptin (Trastuzumab) And Vinorelbine in First Line in Patients With Metastatic or Locally Advanced HER2-Positive Breast Cancer

<http://ClinicalTrials.gov/show/NCT01565083>

Study 88:

A Study of Trastuzumab Emtansine in Comparison With Treatment of Physician's Choice in Patients With HER2-Positive Breast Cancer Who Have Received at Least Two Prior Regimens of HER2-Directed Therapy (TH3RESA)

<http://ClinicalTrials.gov/show/NCT01419197>

Study 89:

Trial in Squamous Non Small Cell Lung Cancer Subjects Comparing Ipilimumab Plus Paclitaxel and Carboplatin Versus Placebo Plus Paclitaxel and Carboplatin

<http://ClinicalTrials.gov/show/NCT01285609>

Study 90:

Safety Study of Recombinant Vaccinia Virus to Treat Refractory Solid Tumors in Pediatric Patients

<http://ClinicalTrials.gov/show/NCT01169584>

Study 91:

A Phase I Study to Assess the Safety and Distribution of VB-111 in Patients With Advanced Metastatic Cancer

<http://ClinicalTrials.gov/show/NCT00559117>

Study 92:

Study of Erlotinib (Tarceva[®]) in Combination With OSI-906 in Patients With Advanced Non-small Cell Lung Cancer (NSCLC) With Activating Mutations of the Epidermal Growth Factor Receptor (EGFR) Gene

<http://ClinicalTrials.gov/show/NCT01221077>

Study 93:

A Study to Evaluate the Safety and Efficacy of Inactivated Varicella-zoster Vaccine (VZV) as a Preventative Treatment for Herpes Zoster (HZ) and HZ-related Complications in Adult Participants With Solid Tumor or Hematologic Malignancy (V212-011 AM1)

<http://ClinicalTrials.gov/show/NCT01254630>

Study 94:

Pharmacokinetics and Safety Study of Azacitidine in Cancer Patients With and Without Impaired Renal Function

<http://ClinicalTrials.gov/show/NCT00652626>

Study 95:

NP2 Enkephalin For Treatment of Intractable Cancer Pain

<http://ClinicalTrials.gov/show/NCT01291901>

Study 96:

Phase 2 Study of REOLYSIN[®] in Combination With Paclitaxel and Carboplatin for Non-Small Cell Lung Cancer With KRAS or EGFR Activation

<http://ClinicalTrials.gov/show/NCT00861627>

Study 97:

A Study in Head and Neck Cancer

<http://ClinicalTrials.gov/show/NCT01081041>

Study 98:

A Study of MM-121 Combination Therapy in Patients With Advanced Non-Small Cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT00994123>

Study 99:

A Study of IMC-CS4 in Subjects With Advanced Solid Tumors

<http://ClinicalTrials.gov/show/NCT01346358>

Study 100:

Efficacy and Safety of Masitinib (AB1010) in Comparison to Imatinib in Patients With Gastro-intestinal Stromal Tumour

<http://ClinicalTrials.gov/show/NCT00812240>

Study 101:

Phase 2 Study of Thermodox as Adjuvant Therapy With Radiofrequency Ablation (RFA) in Treatment of Colorectal Liver Metastases (CRLM)

<http://ClinicalTrials.gov/show/NCT01464593>

Study 102:

LUX-Breast 1: BIBW 2992 (Afatinib) in HER2-positive Metastatic Breast Cancer Patients After One Prior Herceptin Treatment

<http://ClinicalTrials.gov/show/NCT01125566>

Study 103:

Study Evaluating the Safety and Efficacy of MEGF0444A in Combination With Carboplatin, Paclitaxel and Bevacizumab in Patients With Advanced or Recurrent Non-Squamous Non-Small Cell Lung Cancer Who Have Not Received Prior Chemotherapy for Advanced Disease (NILE)

<http://ClinicalTrials.gov/show/NCT01366131>

Study 104:

Brentuximab Vedotin in Patients With CD30-positive Nonlymphomatous Malignancies

<http://ClinicalTrials.gov/show/NCT01461538>

Study 105:

Phase 1 Weekly Dosing of SCH 727965 in Patients With Advanced Cancer (Study P04629AM6)

<http://ClinicalTrials.gov/show/NCT00871663>

Study 106:

A Rollover Study to Provide Continued Treatment With GSK2118436 to Subjects With BRAF Mutation-Positive Tumors

<http://ClinicalTrials.gov/show/NCT01231594>

Study 107:

Dose Escalation Study of Anti-CD38 Monoclonal Antibody in Patients With Selected CD38+ Hematological Malignancies

<http://ClinicalTrials.gov/show/NCT01084252>

Study 108:

A Study of VGX-3100 DNA Vaccine With Electroporation in Patients With Cervical Intraepithelial Neoplasia Grade 2/3 or 3

<http://ClinicalTrials.gov/show/NCT01304524>

Study 109:

A Study for Patients With Recurrent or Metastatic Squamous Cell Head and Neck Cancer

<http://ClinicalTrials.gov/show/NCT01087970>

Study 110:

Efficacy and Safety of GS-6624 With FOLFIRI as Second Line Treatment in Colorectal Adenocarcinoma

<http://ClinicalTrials.gov/show/NCT01479465>

Study 111:

An Investigational Drug, PF-02341066, Is Being Studied In Patients With Advanced Non-Small Cell Lung Cancer With A Specific Gene Profile Involving The Anaplastic Lymphoma Kinase (ALK) Gene

<http://ClinicalTrials.gov/show/NCT00932451>

Study 112:

Trastuzumab (Herceptin), Bevacizumab, and Docetaxel (Taxotere) Trial in Stage IV Metastatic Breast Cancer (MBC) Patients

<http://ClinicalTrials.gov/show/NCT00428922>

Study 113:

A Phase 1 Dose Escalation Study of AMG 780 in Adult Subjects With Advanced Solid Tumor

<http://ClinicalTrials.gov/show/NCT01137552>

Study 114:

Gemcitabine and ON 01910.Na in Previously Untreated Metastatic Pancreatic Cancer

<http://ClinicalTrials.gov/show/NCT01360853>

Study 115:

Safety Study of MM-121 in Combination With Multiple Anticancer Therapies in Patients With Advanced Solid Tumors

<http://ClinicalTrials.gov/show/NCT01447225>

Study 116:

Safety and Efficacy of ALD518 for Reducing Oral Mucositis in Head and Neck Cancer Subjects

<http://ClinicalTrials.gov/show/NCT01403064>

Study 117:

A Pharmacokinetics Study of the Effects of GSK2118436 on Warfarin, the Effects of Ketoconazole and Gemfibrozil on GSK2118436, and the Effects of Repeat Doses of GSK2118436 in Subjects With BRAF Mutant Solid Tumors

<http://ClinicalTrials.gov/show/NCT01340846>

Study 118:

Phase I/II Trial of Sorafenib Plus Ixabepilone in HER2-Negative Metastatic Breast Cancer

<http://ClinicalTrials.gov/show/NCT00825734>

Study 119:

A Study to Evaluate the Effects of Combining Cabazitaxel With Cisplatin Given Every 3 Weeks in Patients With Advanced Solid Cancer

<http://ClinicalTrials.gov/show/NCT00925743>

Study 120:

Clinical Study to Evaluate the Maximum Tolerated Dose of BAY1000394 When Given Together With Chemotherapy and the Effectiveness of This Combination Treatment in Shrinking a Specific Type of Lung Tumors (Small Cell Lung Cancer)

<http://ClinicalTrials.gov/show/NCT01573338>

Study 121:

Trial of Dasatinib Plus Ixabepilone in 2nd or 3rd Line Metastatic Breast Cancer

<http://ClinicalTrials.gov/show/NCT00924352>

Study 122:

Trial of Amrubicin as Treatment for Patients With HER2-Negative Metastatic Breast Cancer

<http://ClinicalTrials.gov/show/NCT01033032>

Study 123:

Study of Pazopanib and Doxil in Patients With Advanced Relapsed Platinum-Sensitive or Platinum-Resistant Ovarian, Fallopian Tube or Primary Peritoneal Adenocarcinoma

<http://ClinicalTrials.gov/show/NCT01035658>

Study 124:

Trial of Poor Performance Status Patients (ToPPS)

<http://ClinicalTrials.gov/show/NCT00892710>

Study 125:

Study of Ruxolitinib in Pancreatic Cancer Patients

<http://ClinicalTrials.gov/show/NCT01423604>

Study 126:

Panitumumab, Gemcitabine and Carboplatin in Triple-Negative Metastatic Breast Cancer

<http://ClinicalTrials.gov/show/NCT00894504>

Study 127:

Trial in Extensive-Disease Small Cell Lung Cancer (ED-SCLC) Subjects Comparing Ipilimumab Plus Etoposide and Platinum Therapy to Etoposide and Platinum Therapy Alone

<http://ClinicalTrials.gov/show/NCT01450761>

Study 128:

A Study to Evaluate Pazopanib as an Adjuvant Treatment for Localized Renal Cell Carcinoma (RCC)

<http://ClinicalTrials.gov/show/NCT01235962>

Study 129:

A Study With Neoadjuvant mFOLFOX7 Plus Cetuximab to Determine the Surgical Conversion Rate for Unresectable Colorectal Cancer With Metastases Confined to the Liver

<http://ClinicalTrials.gov/show/NCT00803647>

Study 130:

FOLFOXIRI Plus Panitumumab Patients With Metastatic KRAS Wild-Type Colorectal Cancer With Liver Metastases Only

<http://ClinicalTrials.gov/show/NCT01226719>

Study 131:

Sorafenib in Treating Non-Smokers or Former Light Smokers With Relapsed or Refractory Stage IIIB or Stage IV Non-Small Cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT00754923>

Study 132:

Agatolimod and Trastuzumab in Treating Patients With Locally Advanced or Metastatic Breast Cancer

<http://ClinicalTrials.gov/show/NCT00824733>

Study 133:

Clinical Study to Evaluate the Maximum Tolerated Dose of BAY1000394 Given in a 3 Days on / 4 Days Off Schedule in Subjects With Advanced Malignancies

<http://ClinicalTrials.gov/show/NCT01188252>

Study 134:

PARP Inhibition for Triple Negative Breast Cancer (ER-/PR-/HER2-)With BRCA1/2 Mutations

<http://ClinicalTrials.gov/show/NCT01074970>

Study 135:

First in Man Study of SAR566658 Administered Every 3 Weeks in Patients With DS6-positive and Refractory Solid Tumors

<http://ClinicalTrials.gov/show/NCT01156870>

Study 136:

Dose Escalation Study of ARQ 736 in Adult Subjects With Advanced Solid Tumors Harboring BRAF and/or NRAS Mutations

<http://ClinicalTrials.gov/show/NCT01225536>

Study 137:

Preoperative Pemetrexed and Carboplatin for Select Stage IB, II, and III Non-Squamous Non-Small-Cell Lung Cancer

<http://ClinicalTrials.gov/show/NCT00906282>

Study 138:

Safety and Pharmacokinetic Study of Cabazitaxel in Patients With Advanced Solid Tumors and Liver Impairment

<http://ClinicalTrials.gov/show/NCT01140607>

Study 139:

Study of Breast Cancer Prevention by Letrozole in High Risk Women

<http://ClinicalTrials.gov/show/NCT00579826>

Study 140:

Intravenous Administration of RGI-2001 in Patient Undergoing Allogenic Hematopoietic Stem Cell Transplantation (AHSCT)

<http://ClinicalTrials.gov/show/NCT01379209>

Study 141:

Carboplatin, Pemetrexed, and Panitumumab in Patients With Advanced Non-Squamous K-ras Wild Type NSCLC

<http://ClinicalTrials.gov/show/NCT01042288>

Study 142:

A Pharmacokinetic Study of AMG 386 in Cancer Subjects With Normal and Impaired Renal Function

<http://ClinicalTrials.gov/show/NCT01331941>

Study 143:

Safety Study of BEZ235 With Everolimus in Subjects With Advanced Solid Tumors

<http://ClinicalTrials.gov/show/NCT01508104>

Study 144:

Multiple Ascending Dose (MDX1105-01)

<http://ClinicalTrials.gov/show/NCT00729664>

Study 145:

A Dose-Escalation and Pharmacokinetic Study of TG02 Citrate in Patients With Advanced Hematological Malignancies

<http://ClinicalTrials.gov/show/NCT01204164>

Study 146:

Erlotinib in Patients With Resected, Early Stage NSCLC With Confirmed Mutations in the EGFR

<http://ClinicalTrials.gov/show/NCT00567359>

Study 147:

Study of Modified Docetaxel, Cisplatin, and Fluorouracil (mDCF) in Unresectable or Metastatic Gastric and Gastroesophageal Junction Adenocarcinoma

<http://ClinicalTrials.gov/show/NCT00515411>

Study 148:

Phase III Study of SAR302503 in Intermediate-2 and High Risk Patients With Myelofibrosis

<http://ClinicalTrials.gov/show/NCT01437787>

Study 149:

A Study of Dasatinib, Cetuximab and Radiation With or Without Cisplatin in NNSCC

<http://ClinicalTrials.gov/show/NCT00882583>

Study 150:

Study on the Anti-tumor Activity, Safety and Pharmacology of IPH2101 Combined With Lenalidomide in Patients With Multiple Myeloma Experiencing a First or Second Relapse

<http://ClinicalTrials.gov/show/NCT01217203>

Study 151:

Ramucirumab or Anti-PDGFR Alpha Monoclonal Antibody IMC-3G3 in Treating Patients With Recurrent Glioblastoma Multiforme

<http://ClinicalTrials.gov/show/NCT00895180>

Study 152:

Single Treatment With FT1050 of an Ex-vivo Modulated Umbilical Cord Blood Unit

<http://ClinicalTrials.gov/show/NCT01527838>

Study 153:

A Study of Sativex® for Relieving Persistent Pain in Patients With Advanced Cancer

<http://ClinicalTrials.gov/show/NCT01262651>

Study 154:

A Study of Gemcitabine, Capecitabine and Bevacizumab to Treat Cancer of the Gall Bladder or Bile Ducts

<http://ClinicalTrials.gov/show/NCT01007552>

Study 155:

A Study of the Safety and Effectiveness of JNJ-42160443 as add-on Treatment in Patients With Cancer-related Pain

<http://ClinicalTrials.gov/show/NCT00929188>

Study 156:

Efficacy Study of REOLYSIN® in Combination With Paclitaxel and Carboplatin in Platinum-Refractory Head and Neck Cancers

<http://ClinicalTrials.gov/show/NCT01166542>

Study 157:

Study of Carfilzomib in Chronic Lymphocytic Leukemia (CLL), Small Lymphocytic Lymphoma (SLL) or Prolymphocytic Leukemia (PLL)

<http://ClinicalTrials.gov/show/NCT01212380>

Study 158:

Vorinostat and Lenalidomide After Autologous Stem Cell Transplant in Treating Patients With Multiple Myeloma

<http://ClinicalTrials.gov/show/NCT00729118>

Study 159:

A Study Of Panobinostat In Children With Refractory Hematologic Malignancies

<http://ClinicalTrials.gov/show/NCT01321346>

Study 160:

Study of a Retroviral Replicating Vector to Treat Patients Undergoing Surgery for a Recurrent Malignant Brain Tumor

<http://ClinicalTrials.gov/show/NCT01470794>

Study 161:

A Study of MM-111 in Combination With Multiple Treatments in Patients With HER2 Positive Cancer

<http://ClinicalTrials.gov/show/NCT01304784>

Study 162:

An Extension Study for Patients Who Are Deriving Benefit With CAL-101 to Continue on Treatment at the End of the Current Study

<http://ClinicalTrials.gov/show/NCT01090414>

Study 163:

A Study of LY2510924 in Patients With Extensive-Stage Small Cell Lung Carcinoma

<http://ClinicalTrials.gov/show/NCT01439568>

Study 164:

IMA901 in Patients Receiving Sunitinib for Advanced/Metastatic Renal Cell Carcinoma

<http://ClinicalTrials.gov/show/NCT01265901>

Study 165:

Ph 1b Study to Evaluate GSK2110183 in Combination With Bortezomib and Dexamethasone in Subjects With Multiple Myeloma

<http://ClinicalTrials.gov/show/NCT01428492>

Study 166:

A Study of REOLYSIN® in Combination With Paclitaxel and Carboplatin in Patients With Squamous Cell Carcinoma of the Lung

<http://ClinicalTrials.gov/show/NCT00998192>

Study 167:

Evaluation of Sentinel Lymph Nodes in Head and Neck Squamous Cell Carcinoma

<http://ClinicalTrials.gov/show/NCT00911326>

Study 168:

Study of Oral MLN9708 in Combination With Lenalidomide and Dexamethasone in Patients With Newly Diagnosed Multiple Myeloma

<http://ClinicalTrials.gov/show/NCT01383928>

Study 169:

Phase III Study of Lenalidomide and Dexamethasone With or Without Elotuzumab to Treat Newly Diagnosed, Previously Untreated Multiple Myeloma

<http://ClinicalTrials.gov/show/NCT01335399>

Study 170:

A Study of Siltuximab (Anti- IL 6 Monoclonal Antibody) in Patients With High-risk Smoldering Multiple Myeloma

<http://ClinicalTrials.gov/show/NCT01484275>

Study 171:

A Study of LY2510924 and Sunitinib in Patients With Metastatic Renal Cell Carcinoma

<http://ClinicalTrials.gov/show/NCT01391130>

Study 172:

An SGN-35 Trial for Patients Who Have Previously Participated in an SGN-35 Study

<http://ClinicalTrials.gov/show/NCT00947856>

Study 173:

E7050 in Combination With Sorafenib Versus Sorafenib Alone as First Line Therapy in Patients With Hepatocellular Carcinoma

<http://ClinicalTrials.gov/show/NCT01271504>

Study 174:

Effect of NovoTTF-100A Together With Temozolomide in Newly Diagnosed Glioblastoma Multiforme (GBM)

<http://ClinicalTrials.gov/show/NCT00916409>

Study 175:

A Study of a Retroviral Replicating Vector Administered to Subjects With Recurrent Malignant Glioma

<http://ClinicalTrials.gov/show/NCT01156584>

Study 176:

Study of CX-4945 in Patients With Relapsed or Refractory Multiple Myeloma

<http://ClinicalTrials.gov/show/NCT01199718>

Study 177:

Phase I Clinical Trial of NPI-0052 in Patients With Relapsed or Relapsed/Refractory Multiple Myeloma

<http://ClinicalTrials.gov/show/NCT00461045>

Study 178:

Study to Determine the Maximum Tolerated Dose for the Combination of Pomalidomide, Bortezomib and Low-Dose Dexamethasone in Subjects With Relapsed or Refractory Multiple Myeloma

<http://ClinicalTrials.gov/show/NCT01497093>

Study 179:

Phase III Study of Rindopepimut/GM-CSF in Patients With Newly Diagnosed Glioblastoma

<http://ClinicalTrials.gov/show/NCT01480479>

Study 180:

A Study of Rindopepimut/GM-CSF in Patients With Relapsed EGFRvIII-Positive Glioblastoma

<http://ClinicalTrials.gov/show/NCT01498328>

Study 181:

Phase II Study of Afinitor vs. Sutent in Patients With Metastatic Non-Clear Cell Renal Cell Carcinoma

<http://ClinicalTrials.gov/show/NCT01108445>

Study 182:

Study of Vosaroxin or Placebo in Combination With Cytarabine in Patients With First Relapsed or Refractory Acute Myeloid Leukemia (AML)

<http://ClinicalTrials.gov/show/NCT01191801>

Study 183:

Clinical Study With Blinatumomab in Pediatric and Adolescent Patients With Relapsed/Refractory B-precursor Acute Lymphoblastic Leukemia

<http://ClinicalTrials.gov/show/NCT01471782>

Study 184:

Bendamustine in Combination With Bortezomib and Pegylated Liposomal Doxorubicin for Multiple Myeloma

<http://ClinicalTrials.gov/show/NCT01177683>

Study 185:

Clofarabine With Cytarabine for Patients With Minimal Residual Disease Positive Leukemia

<http://ClinicalTrials.gov/show/NCT01158885>

Study 186:

Escalating Dose Study in Subjects With Relapsed or Refractory B Cell Non-Hodgkin Lymphoma, Chronic Lymphocytic Leukemia, and Waldenstrom's Macroglobulinemia

<http://ClinicalTrials.gov/show/NCT01351935>

Study 187:

Neoadjuvant Pazopanib in Renal Cell Carcinoma

<http://ClinicalTrials.gov/show/NCT01361113>

Study 188:

A Study to Evaluate the Safety and Efficacy of Ustekinumab in Patients With Moderately to Severely Active Crohn's Disease Who Have Failed or Are Intolerant to Tumor Necrosis Factor (TNF) Antagonist Therapy (UNITI-1)

<http://ClinicalTrials.gov/show/NCT01369329>

Study 189:

Phase II Axitinib (AG-013736) in Elderly Glioblastoma Multiforme (GBM) Patients

<http://ClinicalTrials.gov/show/NCT01508117>

Study 190:

A Phase 2, Multicenter, Open-label Study of MEDI-551 in Adults With Relapsed or Refractory Chronic Lymphocytic Leukemia (CLL)

<http://ClinicalTrials.gov/show/NCT01466153>

Study 191:

A Phase 2, Multicenter, Randomized, Open-label Study of MEDI-551 in Adults With Relapsed or Refractory Diffuse Large B-Cell Lymphoma (DLBCL)

<http://ClinicalTrials.gov/show/NCT01453205>

Study 192:

Trial In Pediatric Patients With Familial Adenomatous Polyposis (FAP)

<http://ClinicalTrials.gov/show/NCT00585312>

Study 193:

A Study of ICT-107 Immunotherapy in Glioblastoma Multiforme (GBM)

<http://ClinicalTrials.gov/show/NCT01280552>

Study 194:

An Open-Label, 2-Cohort, Multicenter, Study of E7080 in Previously Treated Subjects With Unresectable Stage III or Stage IV Melanoma

<http://ClinicalTrials.gov/show/NCT01136967>

Study 195:

Axitinib For The Treatment Of Advanced Hepatocellular Carcinoma

<http://ClinicalTrials.gov/show/NCT01210495>

Study 196:

A Study of AMNN107 in the Treatment of Metastatic and/or Inoperable Melanoma Harboring a c-Kit Mutation

<http://ClinicalTrials.gov/show/NCT01028222>

Study 197:

A Study of Trabectedin or Dacarbazine for the Treatment of Patients With Advanced Liposarcoma or Leiomyosarcoma

<http://ClinicalTrials.gov/show/NCT01343277>

Study 198:

An Efficacy and Safety Study of Oral Netupitant and Palonosetron for the Prevention of Nausea and Vomiting

<http://ClinicalTrials.gov/show/NCT01339260>

Study 199:

Safety and Efficacy Pre-Menopausal Women With Heavy Uterine Bleeding and Uterine Fibroids

<http://ClinicalTrials.gov/show/NCT01441635>

Study 200:

A Biomarker Study of Tivozanib in Subjects With Advanced Renal Cell Carcinoma

<http://ClinicalTrials.gov/show/NCT01297244>

Study 201:

BMS-936558 (MDX-1106) In Combination With Sunitinib or Pazopanib in Subjects With Metastatic Renal Cell Carcinoma (RCC)

<http://ClinicalTrials.gov/show/NCT01472081>

Study 202:

Evaluation of TRC105 In The Treatment Of Recurrent Glioblastoma After Prior Antiangiogenic Therapy (Including Anti-VEGF Therapy)

<http://ClinicalTrials.gov/show/NCT01564914>

Study 203:

Study of AR-67 in Adult Patients With Recurrence of Glioblastoma Multiforme (GBM) or Gliosarcoma

<http://ClinicalTrials.gov/show/NCT01124539>

Study 204:

A Study of Ramucirumab (IMC-1121B) Drug Product (DP) and Best Supportive Care (BSC) Versus Placebo and BSC as 2nd-Line Treatment in Patients With Hepatocellular Carcinoma After 1st-Line Therapy With Sorafenib

<http://ClinicalTrials.gov/show/NCT01140347>

Study 205:

Study of Palifosfamide-tris in Combination With Doxorubicin in Patients With Front-line Metastatic Soft Tissue Sarcoma

<http://ClinicalTrials.gov/show/NCT01168791>

Study 206:

An Efficacy and Safety Study of Oral and Intravenous Palonosetron for the Prevention of Nausea and Vomiting

<http://ClinicalTrials.gov/show/NCT01363479>

Study 207:

Ph I/II Study of Subcutaneously Administered Veltuzumab (hA20) in NHL and CLL

<http://ClinicalTrials.gov/show/NCT00546793>

Study 208:

A Study of IMC-3G3 in Soft Tissue Sarcoma

<http://ClinicalTrials.gov/show/NCT01185964>

Study 209:

Phase 3 Study to Compare the Efficacy and Safety of Eribulin With Dacarbazine in Subjects With Soft Tissue Sarcoma

<http://ClinicalTrials.gov/show/NCT01327885>

Study 210:

Trivalent Ganglioside Vaccine With Immunological Adjuvant or Immunological Adjuvant Alone in Metastatic Sarcoma Patients Who Are Rendered Disease Free

<http://ClinicalTrials.gov/show/NCT01141491>

Study 211:

Safety Study of Human Myeloid Progenitor Cells (CLT-008) After Post-remission Chemotherapy for Leukemia

<http://ClinicalTrials.gov/show/NCT01297543>

Study 212:

Safety and Efficacy Study of TRU-016 Plus Bendamustine vs. Bendamustine in Relapsed Chronic Lymphocytic Leukemia

<http://ClinicalTrials.gov/show/NCT01188681>

Study 213:

A Study Of Inotuzumab Ozogamicin Plus Rituximab For Relapsed/Refractory Aggressive Non-Hodgkin Lymphoma Patients Who Are Not Candidates For Intensive High-Dose Chemotherapy

<http://ClinicalTrials.gov/show/NCT01232556>

Study 214:

A Phase 3 Study of Brentuximab Vedotin (SGN-35) in Patients at High Risk of Residual Hodgkin Lymphoma Following Stem Cell Transplant (The AETHERA Trial)

<http://ClinicalTrials.gov/show/NCT01100502>

Study 215:

A Study to Investigate the Efficacy and Safety of Bendamustine Compared With Bendamustine+RO5072759 (GA101) in Patients With Rituximab-Refractory, Indolent Non-Hodgkin's Lymphoma

<http://ClinicalTrials.gov/show/NCT01059630>

Study 216:

A Placebo-Controlled Study of Saracatinib (AZD0530) in Patients With Recurrent Osteosarcoma Localized to the Lung

<http://ClinicalTrials.gov/show/NCT00752206>

Study 217:

Comparison of Pixantrone + Rituximab With Gemcitabine + Rituximab in Patients With Aggressive B-cell Non-Hodgkin Lymphoma or Follicular Grade 3 Lymphoma Who Have Relapsed After Therapy and Are Not Eligible for Stem Cell Transplant

<http://ClinicalTrials.gov/show/NCT01321541>

Study 218:

A Study to Evaluate the Efficacy and Safety of Lenalidomide as Maintenance Therapy for Patients With B-Cell CLL Following Second Line Therapy (THE CONTINUUM TRIAL)

<http://ClinicalTrials.gov/show/NCT00774345>

Study 219:

Pediatric Philadelphia Positive Acute Lymphoblastic Leukemia

<http://ClinicalTrials.gov/show/NCT01460160>

Study 220:

Phase III Study of RAD001 Adjuvant Therapy in Poor Risk Patients With Diffuse Large B-Cell Lymphoma (DLBCL) of RAD001 Versus Matching Placebo After Patients Have Achieved Complete Response With First-line Rituximab-chemotherapy

<http://ClinicalTrials.gov/show/NCT00790036>

Study 221:

Study of Lenalidomide to Evaluate Safety and Efficacy in Patients With Relapsed or Refractory Chronic Lymphocytic Leukemia

<http://ClinicalTrials.gov/show/NCT00963105>

Study 222:

Study to Evaluate Pharmacokinetics, Food Effect, Safety and Efficacy of Oral Azacitidine

<http://ClinicalTrials.gov/show/NCT01519011>

Study 223:

Study to Assess the Effectiveness of RCHOP With or Without VELCADE in Previously Untreated Non-Germinal Center B-Cell-like Diffuse Large B-Cell Lymphoma Patients

<http://ClinicalTrials.gov/show/NCT00931918>

Study 224:

A Study of RO5072759 (GA101) in Combination With CHOP Chemotherapy Versus MabThera/Rituxan (Rituximab) With CHOP in Patients With CD20-Positive Diffuse Large B-Cell Lymphoma

<http://ClinicalTrials.gov/show/NCT01287741>

Study 225:

Alisertib (MLN8237) or Investigator's Choice in Patients With Relapsed/Refractory Peripheral T-Cell Lymphoma

<http://ClinicalTrials.gov/show/NCT01482962>

Study 226:

Study of Pazopanib in the Treatment of Surgically Unresectable or Metastatic Liposarcoma

<http://ClinicalTrials.gov/show/NCT01506596>

Study 227:

Safety & Efficacy Study of Oral Panobinostat (LBH589) With Chemotherapy in Patients < 65 Years Old With Acute Myeloid Leukemia (AML)

<http://ClinicalTrials.gov/show/NCT01242774>

Study 228:

Safety, Pharmacodynamics (PD), Pharmacokinetics (PK) Study of SHP141 in 1A, 1B, or 2A Cutaneous T-Cell Lymphoma (CTCL)

<http://ClinicalTrials.gov/show/NCT01433731>

Study 229:

A Study of ABT-263 in Combination With Dose-Intensive Rituximab, or Dose-Intensive Rituximab Alone, in Previously Untreated Patients With B-Cell, Chronic Lymphocytic Leukemia (CLL)

<http://ClinicalTrials.gov/show/NCT01087151>

Study 230:

Study Evaluating Inotuzumab Ozogamicin In Acute Lymphocytic Leukemia

<http://ClinicalTrials.gov/show/NCT01363297>

Study 231:

Randomized Study of ON 01910.Na in Refractory Myelodysplastic Syndrome Patients With Excess Blasts

<http://ClinicalTrials.gov/show/NCT01241500>

Study 232:

Safety and Efficacy Study of Bruton's Tyrosine Kinase Inhibitor in Subjects With Relapsed or Refractory Diffuse Large B-cell Lymphoma

<http://ClinicalTrials.gov/show/NCT01325701>

Study 233:

A Study Comparing RO5072759 (GA101) 1000 mg Versus 2000 mg in Patients With Previously Untreated Chronic Lymphocytic Leukemia

<http://ClinicalTrials.gov/show/NCT01414205>

Study 234:

Study Of The Effectiveness & Safety Of Lenalidomide Versus Chlorambucil As First Line Therapy For Elderly Patients With B-Cell CLL (The ORIGIN Trial)

<http://ClinicalTrials.gov/show/NCT00910910>

Study 235:

Safety and Tolerability of XmAb®5574 in Chronic Lymphocytic Leukemia

<http://ClinicalTrials.gov/show/NCT01161511>

Study 236:

A Study of Investigational SAR245409 in Patients With Certain Lymphoma or Leukemia

<http://ClinicalTrials.gov/show/NCT01403636>

Study 237:

Efficacy and Safety of Decitabine as Epigenetic Priming With Induction Chemotherapy in Pediatric Acute Myelogenous Leukemia (AML) Subjects

<http://ClinicalTrials.gov/show/NCT01177540>

Study 238:

Study of AEB071 (a Protein Kinase C Inhibitor) in Patients With CD79-mutant Diffuse Large B-Cell Lymphoma

<http://ClinicalTrials.gov/show/NCT01402440>

Study 239:

A Pharmacokinetic (PK) Study of Nilotinib in Pediatric Patients With Philadelphia Chromosome-positive (Ph+) Chronic Myelogenous Leukemia (CML) or Acute Lymphoblastic Leukemia (ALL)

<http://ClinicalTrials.gov/show/NCT01077544>

Study 240:

Study of Plerixafor Combined With Cytarabine and Daunorubicin in Patients With Newly Diagnosed Acute Myeloid Leukemia

<http://ClinicalTrials.gov/show/NCT00990054>

Study 241:

Phase 2 Dasatinib Combo With Smoothened (SMO) Antagonist (BMS-833923)

<http://ClinicalTrials.gov/show/NCT01357655>

Study 242:

A Study of Brentuximab Vedotin in Patients With CD30-positive Non-Hodgkin Lymphoma

<http://ClinicalTrials.gov/show/NCT01421667>

Study 243:

Ofatumumab and Bendamustine Followed by Maintenance Ofatumumab for Rituximab Relapsed Indolent B-cell Non-Hodgkin's Lymphoma (B-NHL)

<http://ClinicalTrials.gov/show/NCT01294579>

Study 244:

Single Agent Ofatumumab Vs. Single Agent Rituximab in Follicular Lymphoma Relapsed After Rituximab-Containing Therapy

<http://ClinicalTrials.gov/show/NCT01200589>

Study 245:

A Study of YM155 Plus Rituximab in Subjects With Non-Hodgkin's Lymphoma Who Have Received Prior Treatment

<http://ClinicalTrials.gov/show/NCT01007292>

Study 246:

Rituxan/Bendamustine/PCI-32765 in Relapsed DLBCL, MCL, or Indolent Non-Hodgkin's Lymphoma

<http://ClinicalTrials.gov/show/NCT01479842>

Study 247:

Trial of Nelarabine, Etoposide and Cyclophosphamide in Relapsed T-cell ALL and T-cell LL

<http://ClinicalTrials.gov/show/NCT00981799>

Study 248:

Fludarabine, Velcade and Rituximab for Relapsed or Refractory Follicular Non-Hodgkin Lymphoma

<http://ClinicalTrials.gov/show/NCT01186458>

Study 249:

Trial of Bendamustine, Bortezomib, and Rituximab in Patients With Previously Untreated Low Grade Lymphoma

<http://ClinicalTrials.gov/show/NCT01029730>

Study 250:

A Phase II Trial of Panobinostat and Lenalidomide in Patients With Relapsed or Refractory Hodgkin's Lymphoma

<http://ClinicalTrials.gov/show/NCT01460940>

Study 251:

Bortezomib and Azacitidine in Treating Patients With Relapsed or Refractory T-Cell Lymphoma

<http://ClinicalTrials.gov/show/NCT01129180>

Study 252:

Bortezomib and Midostaurin With or Without Combination Chemotherapy in Treating Patients With Relapsed or Refractory Acute Myeloid Leukemia

<http://ClinicalTrials.gov/show/NCT01174888>

Study 253:

Phase II R-ABVD Versus ABVD for Advanced Stage Classical Hodgkin Lymphoma

<http://ClinicalTrials.gov/show/NCT00654732>

Study 254:

Multi-center Trial of Revlimid® and Rituximab, for First-Line Treatment of Chronic Lymphocytic Leukemia (CLL)

<http://ClinicalTrials.gov/show/NCT00628238>

Study 255:

A Phase I Study of AC220 for Children With Relapsed or Refractory Acute Lymphoblastic Leukemia or Acute Myelogenous Leukemia

<http://ClinicalTrials.gov/show/NCT01411267>

Study 256:

Multi-center Trial of Revlimid® and Rituximab for Relapsed or Refractory Chronic Lymphocytic Leukemia (CLL)

<http://ClinicalTrials.gov/show/NCT01199575>

Study 257:

Everolimus With Multiagent Re-Induction Chemotherapy in Pediatric Patients With ALL

<http://ClinicalTrials.gov/show/NCT01523977>

Study 258:

A Study Comparing Siltuximab Plus Best Supportive Care to Placebo Plus Best Supportive Care in Anemic Patients With International Prognostic Scoring System Low- or Intermediate-1-Risk Myelodysplastic Syndrome

<http://ClinicalTrials.gov/show/NCT01513317>

Study 259:

Short-incubation Levulan Photodynamic Therapy Versus Vehicle for Face/Scalp Actinic Keratosis (AK)

<http://ClinicalTrials.gov/show/NCT01475955>

Study 260:

A Study of ARRY-614 in Patients With Low or Intermediate-1 Risk Myelodysplastic Syndromes

<http://ClinicalTrials.gov/show/NCT01496495>

Study 261:

Trial of RAD001 and Neurocognition in Tuberous Sclerosis Complex (TSC)

<http://ClinicalTrials.gov/show/NCT01289912>

Study 262:

Electrical Stimulation of the Sphenopalatine Ganglion for the Treatment of Migraine Headaches

<http://ClinicalTrials.gov/show/NCT01294046>

Diabetes

(53 clinical trials recruiting)

Study 1:

A Study in Patients With Type 2 Diabetes Mellitus

<http://ClinicalTrials.gov/show/NCT01435616>

Study 2:

A Trial Investigating the Efficacy and Safety of Insulin Degludec in Children and Adolescents With Type 1 Diabetes Mellitus

<http://ClinicalTrials.gov/show/NCT01513473>

Study 3:

Study to Evaluate the Efficacy, Safety, Tolerability, and Pharmacokinetics of Saxagliptin as Monotherapy in Pediatric Patients With Type 2 Diabetes

<http://ClinicalTrials.gov/show/NCT01204775>

Study 4:

Researching Cardiovascular Events With a Weekly Incretin in Diabetes (REWIND)

<http://ClinicalTrials.gov/show/NCT01394952>

Study 5:

CAROLINA: Cardiovascular Outcome Study of Linagliptin Versus Glimepiride in Patients With Type 2 Diabetes

<http://ClinicalTrials.gov/show/NCT01243424>

Study 6:

A Study of BMS-512148 (Dapagliflozin) in Patients With Type 2 Diabetes With Inadequately Controlled Hypertension on an ACEI or ARB and an Additional Antihypertensive Medication

<http://ClinicalTrials.gov/show/NCT01195662>

Study 7:

A Study of BMS-512148 (Dapagliflozin) in Patients With Type 2 Diabetes With Inadequately Controlled Hypertension on an Angiotensin-Converting Enzyme Inhibitor (ACEI) or Angiotensin Receptor Blocker (ARB)

<http://ClinicalTrials.gov/show/NCT01137474>

Study 8:

BI 10773 Cardiovascular Outcome Event Trial in Type 2 Diabetes Mellitus Patients

<http://ClinicalTrials.gov/show/NCT01131676>

Study 9:

A Study in Participants With Type 2 Diabetes Mellitus

<http://ClinicalTrials.gov/show/NCT01468987>

Study 10:

Safety and Efficacy of BI 10773 and Sitagliptin Versus Placebo Over 76 Weeks in Patients With Type 2 Diabetes

<http://ClinicalTrials.gov/show/NCT01289990>

Study 11:

Efficacy and Safety of BI 10773/BI 1356 Fixed Dose Combination in Treatment naïve and Metformin Treated Type 2 Diabetes Patients

<http://ClinicalTrials.gov/show/NCT01422876>

Study 12:

A Multicenter, Randomized, Double-blind, Placebo-controlled Study to Evaluate the Efficacy and Safety of Saxagliptin (BMS-477118) in Combination With Metformin IR or Metformin XR in Pediatric Patients With Type 2 Diabetes Who Have Inadequate Glycemic Control on Metformin Alone

<http://ClinicalTrials.gov/show/NCT01434186>

Study 13:

Exenatide Study of Cardiovascular Event Lowering Trial (EXSCEL): A Trial To Evaluate Cardiovascular Outcomes After Treatment With Exenatide Once Weekly In Patients With Type 2 Diabetes Mellitus

<http://ClinicalTrials.gov/show/NCT01144338>

Study 14:

Cardiovascular Outcomes Study of Alogliptin in Subjects With Type 2 Diabetes and Acute Coronary Syndrome

<http://ClinicalTrials.gov/show/NCT00968708>

Study 15:

Bardoxolone Methyl Evaluation in Patients With Chronic Kidney Disease and Type 2 Diabetes

<http://ClinicalTrials.gov/show/NCT01351675>

Study 16:

Efficacy and Safety of Azilsartan Medoxomil Used in Combination With Metformin in Participants With Hypertension and Diabetes

<http://ClinicalTrials.gov/show/NCT01496430>

Study 17:

Efficacy and Safety Study of DiaPep277 in Newly Diagnosed Type 1 Diabetes Adults

<http://ClinicalTrials.gov/show/NCT01103284>

Study 18:

A Study With Aleglitazar in Patients With a Recent Acute Coronary Syndrome and Type 2 Diabetes Mellitus

<http://ClinicalTrials.gov/show/NCT01042769>

Study 19:

Efficacy and Safety of TAK-875 in Combination With Sitagliptin in Participants With Type 2 Diabetes Mellitus

<http://ClinicalTrials.gov/show/NCT01414920>

Study 20:

Welchol as Add-on to Pioglitazone Therapy for Type 2 Diabetes Mellitus

<http://ClinicalTrials.gov/show/NCT00789750>

Study 21:

Study To Understand Efficacy And Safety Of Investigational Agent (PF-04937319) Compared To Approved Agent (Glimepiride) In Patients With Diabetes On Metformin

<http://ClinicalTrials.gov/show/NCT01517373>

Study 22:

Comparison of a New Formulation of Insulin Glargine With Lantus in Patients With Type 2 Diabetes Mellitus on Basal Plus Mealtime Insulin

<http://ClinicalTrials.gov/show/NCT01499082>

Study 23:

Comparison of a New Formulation of Insulin Glargine With Lantus in Patients With Type 2 Diabetes on Basal Insulin With Oral Antidiabetic Therapy

<http://ClinicalTrials.gov/show/NCT01499095>

Study 24:

Safety and Efficacy of Exenatide as Monotherapy and Adjunctive Therapy to Oral Antidiabetic Agents in Adolescents With Type 2 Diabetes

<http://ClinicalTrials.gov/show/NCT00658021>

Study 25:

Study to Assess Safety & Efficacy of Sitagliptin as Initial Monotherapy for Treatment of Type 2 Diabetes Mellitus in Pediatric Participants (MK-0431-083)

<http://ClinicalTrials.gov/show/NCT01485614>

Study 26:

AMG 151 Amgen Protocol Number 20100761

<http://ClinicalTrials.gov/show/NCT01464437>

Study 27:

Safety Study of Mesenchymal Precursor Cells in Type 2 Diabetes

<http://ClinicalTrials.gov/show/NCT01576328>

Study 28:

Finding a Safe and Effective Dose of Linagliptin in Pediatric Patients With Type 2 Diabetes

<http://ClinicalTrials.gov/show/NCT01342484>

Study 29:

A Study in Patients With Type 1 Diabetes Mellitus

<http://ClinicalTrials.gov/show/NCT01454284>

Study 30:

Phase 2 Study To Evaluate Safety And Efficacy Of Investigational Drug—PF04937319 In Patients With Type 2 Diabetes

<http://ClinicalTrials.gov/show/NCT01475461>

Study 31:

Ranolazine Monotherapy in Subjects With Type 2 Diabetes Mellitus

<http://ClinicalTrials.gov/show/NCT01472185>

Study 32:

A Phase III Study to Evaluate Safety, Tolerability and Efficacy of CureXcell™ in Treating Lower Extremity Chronic Ulcers in Adults With Diabetes Mellitus

<http://ClinicalTrials.gov/show/NCT01421966>

Study 33:

Ranolazine When Added to Glimepiride in Subjects With Type 2 Diabetes Mellitus

<http://ClinicalTrials.gov/show/NCT01494987>

Study 34:

Comparison of TAK-875 With Placebo in Participants With Type 2 Diabetes

<http://ClinicalTrials.gov/show/NCT01456195>

Study 35:

Efficacy and Safety of TAK-875 Compared to Glimepiride When Used With Metformin in Participants With Type 2 Diabetes

<http://ClinicalTrials.gov/show/NCT01481116>

Study 36:

Comparison of Technosphere Insulin Versus Technosphere Powder (Placebo) in Insulin-Naive Subjects With Type 2 Diabetes Mellitus

<http://ClinicalTrials.gov/show/NCT01451398>

Study 37:

Pharmacokinetics/Pharmacodynamics of Albiglutide

<http://ClinicalTrials.gov/show/NCT01357889>

Study 38:

30 Week Parallel Group Comparison Study of Linagliptin + Pioglitazone (5+15, 5+30 and 5+45 mg) qd Versus Respective Monotherapies, Followed by 54 Week Comparison of 5mg+30mg and 5mg+45mg Versus Respective Monotherapies in Type 2 Diabetes

<http://ClinicalTrials.gov/show/NCT01183013>

Study 39:

A Phase 2 Study to Evaluate the Safety and Efficacy of CTP-499 in Type 2 Diabetic Nephropathy Patients

<http://ClinicalTrials.gov/show/NCT01487109>

Study 40:

Pharmacodynamic Evaluation of PL2200 Versus Enteric-Coated and Immediate Release Aspirin in Diabetic Patients

<http://ClinicalTrials.gov/show/NCT01515657>

Study 41:

Sitagliptin Cardiovascular Outcome Study (0431-082 AM1)

<http://ClinicalTrials.gov/show/NCT00790205>

Study 42:

Outpatient Study to Evaluate Safety and Effectiveness of the Low Glucose Suspend Feature

<http://ClinicalTrials.gov/show/NCT01497938>

Study 43:

Safety & Effectiveness on Vascular Structure and Function of ACZ885 in Atherosclerosis and Either T2DM or IGT Patients

<http://ClinicalTrials.gov/show/NCT00995930>

Study 44:

Insulin Resistance Intervention After Stroke Trial

<http://ClinicalTrials.gov/show/NCT00091949>

Study 45:

A Study in Patients With Diabetic Kidney Disease

<http://ClinicalTrials.gov/show/NCT01113801>

Study 46:

Prevention of Cystic Fibrosis Diabetes

<http://ClinicalTrials.gov/show/NCT00967798>

Study 47:

Treatment of Neuropathic Pain Associated With Diabetic Peripheral Neuropathy

<http://ClinicalTrials.gov/show/NCT01496365>

Study 48:

Evaluation of Cardiovascular Outcomes in Patients With Type 2 Diabetes After Acute Coronary Syndrome During Treatment With AVE0010 (Lixisenatide)

<http://ClinicalTrials.gov/show/NCT01147250>

Study 49:

Transdermal Continuous Oxygen Therapy for Diabetic Foot Ulcers

<http://ClinicalTrials.gov/show/NCT01291160>

Study 50:

Effect Of Pregabalin Treatment In Patients With Diabetic Nerve Pain Who Currently Use A Non-Steroid Anti-Inflammatory Drug (NSAID) For Another Pain

<http://ClinicalTrials.gov/show/NCT01455415>

Study 51:

Efficacy and Safety Study of Pregabalin in the Treatment of Pain on Walking in Patients With Diabetic Peripheral Neuropathy (DPN)

<http://ClinicalTrials.gov/show/NCT01474772>

Study 52:

A Prospective, Double-Blind, Placebo-Controlled, Multicenter Study to Evaluate Efficacy and Safety of Atrasentan, Including Thoracic Bioimpedance, in Type 2 Diabetic Subjects With Nephropathy

<http://ClinicalTrials.gov/show/NCT01399580>

Study 53:

Prompt Panretinal Photocoagulation Versus Ranibizumab+Deferred Panretinal Photocoagulation for Proliferative Diabetic Retinopathy

<http://ClinicalTrials.gov/show/NCT01489189>

Heart Disease

(44 clinical trials recruiting)

Study 1:

A Study of Dalcetrapib in Patients With Stable Coronary Heart Disease, With Coronary Heart Disease Risk Equivalents or at Elevated Risk for Cardiovascular Disease

<http://ClinicalTrials.gov/show/NCT01516541>

Study 2:

Efficacy and Safety of Targeted Intramyocardial Delivery of Auto CD34+ Stem Cells for Improving Exercise Capacity in Subjects With Refractory Angina

<http://ClinicalTrials.gov/show/NCT01508910>

Study 3:

Use of Rosuvastatin in HIV-Infected Subjects to Modulate Cardiovascular Risks

<http://ClinicalTrials.gov/show/NCT01218802>

Study 4:

Efficacy and Safety Study of Azimilide on the Incidence of Cardiovascular Hospitalizations/ Emergency Department Visits or Cardiovascular Death in Patients With Implantable Cardioverter Defibrillators (ICDs)

<http://ClinicalTrials.gov/show/NCT01464476>

Study 5:

A Study of RO4905417 in Patients Undergoing Coronary Artery Bypass Graft (CABG) Surgery

<http://ClinicalTrials.gov/show/NCT01245634>

Study 6:

A Study With Alogliptin in Patients With a Recent Acute Coronary Syndrome and Type 2 Diabetes Mellitus

<http://ClinicalTrials.gov/show/NCT01042769>

Study 7:

Echocardiography Guided Cardiac Resynchronization Therapy (EchoCRT)

<http://ClinicalTrials.gov/show/NCT00683696>

Study 8:

Prevention of Cardiovascular Events (eg, Death From Heart or Vascular Disease, Heart Attack, or Stroke) in Patients With Prior Heart Attack Using Ticagrelor Compared to Placebo on a Background of Aspirin

<http://ClinicalTrials.gov/show/NCT01225562>

Study 9:

Safety and Efficacy Continued Access Study of the Medtronic CoreValve® System in the Treatment of Symptomatic Severe Aortic Stenosis in Very High Risk Subjects Who Need Aortic Valve Replacement

<http://ClinicalTrials.gov/show/NCT01531374>

Study 10:

Clinical Evaluation of the Blazer® Open-Irrigated Catheter for Treatment of Type 1 Atrial Flutter

<http://ClinicalTrials.gov/show/NCT01253200>

Study 11:

The Evaluation of VAD InterVention Before Inotropic Therapy

<http://ClinicalTrials.gov/show/NCT01369407>

Study 12:

Study of the Safety and Efficacy of Apadenoson for Detection of Myocardial Perfusion Defects Using SPECT MPI

<http://ClinicalTrials.gov/show/NCT00990327>

Study 13:

RED-HF™ Trial - Reduction of Events With Darbepoetin Alfa in Heart Failure Trial

<http://ClinicalTrials.gov/show/NCT00358215>

Study 14:

A Phase 3 Multi-center Study to Assess PET Imaging of Flurpiridaz F 18 Injection in Patients With CAD

<http://ClinicalTrials.gov/show/NCT01347710>

Study 15:

Ranolazine for Incomplete Vessel Revascularization Post-Percutaneous Coronary Intervention (PCI)

<http://ClinicalTrials.gov/show/NCT01442038>

Study 16:

Study to Evaluate the Safety and Efficacy of IV Infusion Treatment With Omecamtiv Mecarbil in Subjects With Left Ventricular Systolic Dysfunction Hospitalized for Acute Heart Failure

<http://ClinicalTrials.gov/show/NCT01300013>

Study 17:

Cardiovascular Outcomes Study of Alogliptin in Subjects With Type 2 Diabetes and Acute Coronary Syndrome

<http://ClinicalTrials.gov/show/NCT00968708>

Study 18:

AngelMed for Early Recognition and Treatment of STEMI

<http://ClinicalTrials.gov/show/NCT00781118>

Study 19:

Clevidipine in the Treatment of Blood Pressure in Patients With Acute Heart Failure

<http://ClinicalTrials.gov/show/NCT00803634>

Study 20:

Left Atrial Pressure Monitoring to Optimize Heart Failure Therapy

<http://ClinicalTrials.gov/show/NCT01121107>

Study 21:

Evaluation of Cardiovascular Outcomes in Patients With Type 2 Diabetes After Acute Coronary Syndrome During Treatment With AVE0010 (Lixisenatide)

<http://ClinicalTrials.gov/show/NCT01147250>

Study 22:

Post-Myocardial Infarction Remodeling Prevention Therapy

<http://ClinicalTrials.gov/show/NCT01213251>

Study 23:

INcrease Of VAgal TonE in CHF

<http://ClinicalTrials.gov/show/NCT01303718>

Study 24:

A Study of RO4905417 in Patients With Non ST-Elevation Myocardial Infarction (Non-STEMI) Undergoing Percutaneous Coronary Intervention

<http://ClinicalTrials.gov/show/NCT01327183>

Study 25:

Cardiovascular Risk Reduction Study (Reduction in Recurrent Major CV Disease Events)

<http://ClinicalTrials.gov/show/NCT01327846>

Study 26:

AMR-001 Versus Placebo Post ST Segment Elevation Myocardial Infarction

<http://ClinicalTrials.gov/show/NCT01495364>

Study 27:

The PARTNER II Trial: Placement of AoRTic TraNscathetER Valves

<http://ClinicalTrials.gov/show/NCT01314313>

Study 28:

Vest Prevention of Early Sudden Death Trial and VEST Registry

<http://ClinicalTrials.gov/show/NCT01446965>

Study 29:

Evaluation of the WATCHMAN LAA Closure Device in Patients With Atrial Fibrillation Versus Long Term Warfarin Therapy

<http://ClinicalTrials.gov/show/NCT01182441>

Study 30:

Clinical Evaluation of Therapy™ Cool Flex™ Irrigated Ablation System for the Treatment of Typical Atrial Flutter

<http://ClinicalTrials.gov/show/NCT01408485>

Study 31:

Evaluate the Safety and Efficacy of OAS in Treating Severely Calcified Coronary Lesions

<http://ClinicalTrials.gov/show/NCT01092416>

Study 32:

Intravenous L-Citrulline to Treat Children Undergoing Heart Bypass Surgery : Revised Protocol

<http://ClinicalTrials.gov/show/NCT01120964>

Study 33:

A Multi-center, Placebo-controlled Study to Evaluate the Safety of GSK716155 and Its Effects on Myocardial Metabolism, Myocardial Function, and Exercise Capacity in Patients With NYHA Class II/III Congestive Heart Failure

<http://ClinicalTrials.gov/show/NCT01357850>

Study 34:

Effect of Otamixaban Versus Unfractionated Heparin + Eptifibatide in Patients With Unstable Angina/Non ST Elevation Myocardial Infarction Undergoing Early Invasive Strategy

<http://ClinicalTrials.gov/show/NCT01076764>

Study 35:

Cardiox Shunt Detection Technology Study

<http://ClinicalTrials.gov/show/NCT01333761>

Study 36:

ABLATE AF Registry Trial

<http://ClinicalTrials.gov/show/NCT01174745>

Study 37:

A Study to Evaluate the Effect of Ranolazine and Dronedarone When Given Alone and in Combination in Patients With Paroxysmal Atrial Fibrillation (HARMONY)

<http://ClinicalTrials.gov/show/NCT01522651>

Study 38:

Randomized, Double-Blind, Placebo Controlled Study of the Short Term Clinical Effects of Tolvaptan in Patients Hospitalized for Worsening Heart Failure With Challenging Volume Management

<http://ClinicalTrials.gov/show/NCT01584557>

Study 39:

Insulin Resistance Intervention After Stroke Trial

<http://ClinicalTrials.gov/show/NCT00091949>

Study 40:

A Study on the Pharmacokinetics and Safety of Valcyte (Valganciclovir) in Pediatric Heart Transplant Recipients Less Than 4 Months of Age

<http://ClinicalTrials.gov/show/NCT01165580>

Study 41:

Safety & Efficacy of BCT197 in Patients Undergoing Cardiac Surgery

<http://ClinicalTrials.gov/show/NCT01336959>

Study 42:

Study Evaluating The Effects Of Oprelvekin On Cardiac Repolarization In Subjects With Chemotherapy Induced Thrombocytopenia

<http://ClinicalTrials.gov/show/NCT00886743>

Study 43:

Cardiovascular Safety of Febuxostat and Allopurinol in Patients With Gout and Cardiovascular Comorbidities

<http://ClinicalTrials.gov/show/NCT01101035>

Study 44:

Aliskiren Effect on Plaque Progression In Established Atherosclerosis Using High Resolution 3D MRI (ALPINE)

<http://ClinicalTrials.gov/show/NCT01417104>

Mental Illness

(86 clinical trials recruiting)

Study 1:

Study of the Safety and Efficacy of Two Fixed Doses of OPC-34712 as Adjunctive Therapy in the Treatment of Adults With Major Depressive Disorder (the Polaris Trial)

<http://ClinicalTrials.gov/show/NCT01360632>

Study 2:

Safety and Tolerability of Oral OPC-34712 as Adjunctive Therapy in Adults With Major Depressive Disorder (the Orion Trial)

<http://ClinicalTrials.gov/show/NCT01360866>

Study 3:

Study of the Safety and Efficacy of Fixed Dose OPC-34712 as Adjunctive Therapy in the Treatment of Adults With Major Depressive Disorder (the Pyxis Trial)

<http://ClinicalTrials.gov/show/NCT01360645>

Study 4:

SPD503 in Subjects Aged 6-17 Years With Generalized Anxiety Disorder (GAD), Separation Anxiety Disorder (SAD), or Social Phobia (SoP)

<http://ClinicalTrials.gov/show/NCT01470469>

Study 5:

Study of Pharmacokinetics, Safety, Efficacy, and Tolerability of Memantine in Children With Autism

<http://ClinicalTrials.gov/show/NCT00872898>

Study 6:

Study of Rufinamide in Pediatric Subjects 1 to Less Than 4 Years of Age With Lennox-Gastaut Syndrome Inadequately Controlled With Other Anti-epileptic Drugs

<http://ClinicalTrials.gov/show/NCT01405053>

Study 7:

A Study to Evaluate the Efficacy and Safety of Molindone Hydrochloride XR Tablets as Adjunctive Therapy in Children With Impulsive Aggression Comorbid With Attention-Deficit/Hyperactivity Disorder (ADHD)

<http://ClinicalTrials.gov/show/NCT01364662>

Study 8:

Safety & Efficacy of TC-5619 in Adults With Inattentive-predominant Attention Deficit/Hyperactivity Disorder (ADHD)

<http://ClinicalTrials.gov/show/NCT01472991>

Study 9:

Ecopipam Treatment of Tourette Syndrome

<http://ClinicalTrials.gov/show/NCT01244633>

Study 10:

Study of Arbaclofen for the Treatment of Social Withdrawal in Subjects With Autism Spectrum Disorders

<http://ClinicalTrials.gov/show/NCT01288716>

Study 11:

Dose-optimization in Adolescents Aged 13-17 Diagnosed With Attention-deficit/Hyperactivity Disorder (ADHD) Using Extended-release Guanfacine HCl

<http://ClinicalTrials.gov/show/NCT01081132>

Study 12:

Maintenance of Efficacy of Extended-Release Guanfacine HCl in Children and Adolescents With Attention-deficit/Hyperactivity Disorder (ADHD)

<http://ClinicalTrials.gov/show/NCT01081145>

Study 13:

Study Evaluating The Safety And Efficacy Of PF-03654746 In Adult Subjects With Tourette's Syndrome

<http://ClinicalTrials.gov/show/NCT01475383>

Study 14:

A Study of the Safety and Efficacy of Pimavanserin in Patients With Parkinson's Disease Psychosis

<http://ClinicalTrials.gov/show/NCT01174004>

Study 15:

Safety and Tolerability of Aripiprazole in Adolescents With Schizophrenia or Children and Adolescents With Bipolar I Disorder, Manic or Mixed Episode With or Without Psychotic Features.

<http://ClinicalTrials.gov/show/NCT01122927>

Study 16:

A Study of the Safety and Tolerability of Pimavanserin (ACP-103) in Patients With Parkinson's Disease Psychosis

<http://ClinicalTrials.gov/show/NCT00550238>

Study 17:

A Paroxetine- and Placebo-Controlled Study of 50 mg/Day and 100 mg/Day of EB-1010 Among Outpatients With Major Depressive Disorder Who Have Responded Inadequately to Prior Selective Serotonin Reuptake Inhibitors (SSRIs) and Serotonin Norepinephrine Reuptake Inhibitors (SNRIs)

<http://ClinicalTrials.gov/show/NCT01318434>

Study 18:

Melatonin Agonist Effects of Tasimelteon Versus Placebo in Patients With Major Depressive Disorder

<http://ClinicalTrials.gov/show/NCT01428661>

Study 19:

A Long-Term, Open-Label, Study on Schizophrenia

<http://ClinicalTrials.gov/show/NCT01129674>

Study 20:

Safety, Tolerability, and Efficacy of Cariprazine for Patients With Bipolar Depression

<http://ClinicalTrials.gov/show/NCT01396447>

Study 21:

Safety and Efficacy of Cariprazine as an Adjunctive to Antidepressant Therapy in Major Depressive Disorder

<http://ClinicalTrials.gov/show/NCT01469377>

Study 22:

Extension Study of Asenapine {P06107 (NCT01244815)} for Pediatric Bipolar Disorder (P05898 AM2)

<http://ClinicalTrials.gov/show/NCT01349907>

Study 23:

Efficacy and Safety of Asenapine Treatment for Pediatric Bipolar Disorder {P06107 Has an Extension (P05898; NCT01349907)}(P06107 AM2)

<http://ClinicalTrials.gov/show/NCT01244815>

Study 24:

Extension Study of the Safety and Efficacy of Armodafinil Treatment as Adjunctive Therapy in Adults With Major Depression Associated With Bipolar I Disorder

<http://ClinicalTrials.gov/show/NCT01121536>

Study 25:

Lurasidone - A 24-week Extension Study of Patients With Bipolar I Depression

<http://ClinicalTrials.gov/show/NCT00868959>

Study 26:

Lamictal as Add-on Treatment for Bipolar I Disorder in Pediatric Patients

<http://ClinicalTrials.gov/show/NCT00723450>

Study 27:

Long-term Safety and Tolerability of BMS-820836 in the Treatment of Patients With Treatment Resistant Major Depression

<http://ClinicalTrials.gov/show/NCT01361555>

Study 28:

A Fixed Dose Study of Adjunctive Treatment to Antidepressant Therapy for Adults With Major Depressive Disorder

<http://ClinicalTrials.gov/show/NCT01173601>

Study 29:

Efficacy, Safety and Tolerability of CX157 in Treatment Resistant Depression

<http://ClinicalTrials.gov/show/NCT01246908>

Study 30:

A Study in Pediatric Patients With Generalized Anxiety Disorder

<http://ClinicalTrials.gov/show/NCT01226511>

Study 31:

Pipamperone/Citalopram (PNB01) Versus Citalopram (CIT) and Versus Pipamperone (PIP) in Major Depressive Disorder (MDD)

<http://ClinicalTrials.gov/show/NCT01312922>

Study 32:

A Phase 3b Multicenter Study of Pregabalin in Fibromyalgia Subjects Who Have Comorbid Depression

<http://ClinicalTrials.gov/show/NCT01432236>

Study 33:

Effect of Lu AA21004 Versus Escitalopram on Sexual Functioning in Adults With Well-Treated Major Depressive Disorder

<http://ClinicalTrials.gov/show/NCT01364649>

Study 34:

Efficacy and Safety of Fixed Doses of BMS 820836 in the Treatment of Patients With Treatment Resistant Major Depression

<http://ClinicalTrials.gov/show/NCT01369095>

Study 35:

A Study of LY2140023 in Patients With Schizophrenia

<http://ClinicalTrials.gov/show/NCT01307800>

Study 36:

A Study to Evaluate ALKS 5461 in Subjects With Major Depressive Disorder (MDD)

<http://ClinicalTrials.gov/show/NCT01500200>

Study 37:

Safety and Efficacy of F2695 SR in Adults With Fatigue Associated With Major Depressive Disorder

<http://ClinicalTrials.gov/show/NCT01254305>

Study 38:

Study to Evaluate the Efficacy and Safety of Armodafinil Treatment (150 mg/Day) as Adjunctive Therapy in Adults With Major Depression Associated With Bipolar I Disorder

<http://ClinicalTrials.gov/show/NCT01305408>

Study 39:

Study Evaluating The Efficacy And Safety Of Bapineuzumab In Alzheimer Disease Patients

<http://ClinicalTrials.gov/show/NCT00667810>

Study 40:

A Study to Assess the Effect and Safety of AZD6765 in Patients With Major Depressive Disorder

<http://ClinicalTrials.gov/show/NCT01482221>

Study 41:

Effect of Different Doses of SAR110894D on Cognition in Patients With Mild to Moderate Alzheimer's Disease on Donepezil

<http://ClinicalTrials.gov/show/NCT01266525>

Study 42:

Study to Evaluate the Efficacy and Safety of Armodafinil Treatment as Adjunctive Therapy in Adults With Major Depression Associated With Bipolar I Disorder

<http://ClinicalTrials.gov/show/NCT01072630>

Study 43:

Efficacy and Safety of Tasimelteon Compared With Placebo in Totally Blind Subjects With Non-24-Hour Sleep-Wake Disorder

<http://ClinicalTrials.gov/show/NCT01163032>

Study 44:

Efficacy and Safety Study of Low-Dose Ondansetron For Adjunctive Therapy In Adult Patients With Obsessive-Compulsive Disorder

<http://ClinicalTrials.gov/show/NCT01275248>

Study 45:

Efficacy and Safety Study of SPD489 in Combination With an Antidepressant in the Treatment of Adults With Major Depressive Disorder

<http://ClinicalTrials.gov/show/NCT01436149>

Study 46:

A Long-Term Study in Schizophrenia

<http://ClinicalTrials.gov/show/NCT01487083>

Study 47:

A Comparison Study of LY2140023 and Aripiprazole in Schizophrenia Patients

<http://ClinicalTrials.gov/show/NCT01328093>

Study 48:

Cariprazine Relative to Placebo in the Prevention of Relapse of Symptoms in Patients With Schizophrenia

<http://ClinicalTrials.gov/show/NCT01412060>

Study 49:

VI-1121 for the Treatment Alzheimer's Disease

<http://ClinicalTrials.gov/show/NCT01428362>

Study 50:

Efficacy and Safety of Ramelteon Sublingual in Adult Patients With Acute Depressive Episodes Associated With Bipolar I Disorder

<http://ClinicalTrials.gov/show/NCT01467700>

Study 51:

A Study of Flexible or Fixed Dose LLY2216684 as Adjunctive Treatment for Patients With Major Depressive Disorder Who Have Had a Partial Response to Selective Serotonin Reuptake Inhibitor (SSRI) Treatment

<http://ClinicalTrials.gov/show/NCT01187407>

Study 52:

A 6-Month Extension Study To The B2061032 Study To Evaluate The Safety, Tolerability, And Efficacy Of DVS SR In The Treatment Of Child And Adolescent Outpatients With MDD

<http://ClinicalTrials.gov/show/NCT01371708>

Study 53:

Efficacy and Safety of Ramelteon Sublingual as Adjunctive Therapy for Maintenance Treatment of Bipolar I Disorder in Adult Patients

<http://ClinicalTrials.gov/show/NCT01467713>

Study 54:

Tasimelteon for the Treatment of Non-24-hour Sleep-Wake Disorder (N24HSWD) in Blind Individuals With no Light Perception

<http://ClinicalTrials.gov/show/NCT01429116>

Study 55:

A Study of RO4917838 in Patients With Sub-optimally Controlled Symptoms of Schizophrenia (NN25307)

<http://ClinicalTrials.gov/show/NCT01235520>

Study 56:

PEARL Schizophrenia Maintenance

<http://ClinicalTrials.gov/show/NCT01435928>

Study 57:

Efficacy, Safety, and Tolerability of TC-5619 as Augmentation Therapy to Improve Negative Symptoms and Cognition in Outpatients With Schizophrenia

<http://ClinicalTrials.gov/show/NCT01488929>

Study 58:

A Study Of DVS SR In Treatment Of Children And Adolescent Outpatients With MDD

<http://ClinicalTrials.gov/show/NCT01371734>

Study 59:

A Study in Patients With Major Depressive Disorder Who Are Partial Responders to Selective Serotonin Reuptake Inhibitor

<http://ClinicalTrials.gov/show/NCT01185340>

Study 60:

Open-label Study to Compare Hospitalization Rates of Schizophrenic Patients Treated With Oral Antipsychotics Versus IM Depot Aripiprazole

<http://ClinicalTrials.gov/show/NCT01432444>

Study 61:

Efficacy and Safety of Flexibly Dosed BMS-820836 in the Treatment of Patients With Treatment Resistant Major Depression

<http://ClinicalTrials.gov/show/NCT01309945>

Study 62:

A Phase 1 Study of the Safety, Tolerability and Pharmacokinetics of ABT-126 in Subjects With Alzheimer's Disease

<http://ClinicalTrials.gov/show/NCT01482845>

Study 63:

Fixed Dose Efficacy and Safety Study of Asenapine for the Treatment of Schizophrenia in Adolescents (P05896 AM2)

<http://ClinicalTrials.gov/show/NCT01190254>

Study 64:

Withdrawal Study to Demonstrate the Maintenance Effect in the Treatment of Non-24-Hour Sleep-Wake Disorder

<http://ClinicalTrials.gov/show/NCT01430754>

Study 65:

SPD489 in Combination With an Antidepressant in the Treatment of Adults With Major Depressive Disorder

<http://ClinicalTrials.gov/show/NCT01435759>

Study 66:

Efficacy and Safety Study of SPD489 in Combination With an Antidepressant in the Treatment of Adults With Major Depressive Disorder

<http://ClinicalTrials.gov/show/NCT01436162>

Study 67:

Randomized, Controlled Study Evaluating CERE-110 in Subjects With Mild to Moderate Alzheimer's Disease

<http://ClinicalTrials.gov/show/NCT00876863>

Study 68:

Safety and Efficacy Study of IPX159 in Restless Legs Syndrome (RLS)

<http://ClinicalTrials.gov/show/NCT01521663>

Study 69:

A Study to Evaluate the Efficacy and Safety of MABT5102A in Patients With Mild to Moderate Alzheimer's Disease (ABBY)

<http://ClinicalTrials.gov/show/NCT01343966>

Study 70:

Flexible Dose, Long-term Safety Study of Asenapine for the Treatment of Schizophrenia in Adolescents (P05897 AM2 EXT)

<http://ClinicalTrials.gov/show/NCT01190267>

Study 71:

A Study of RO4917838 in Patients With Persistent, Predominant Negative Symptoms of Schizophrenia (NN25310)

<http://ClinicalTrials.gov/show/NCT01192867>

Study 72:

A Study in Prevention of Re-emergence of Depression Symptoms

<http://ClinicalTrials.gov/show/NCT01299272>

Study 73:

Study to Evaluate the Safety, Tolerability and the Effect of BMS-241027 on Cerebrospinal Fluid Biomarkers in Subjects With Mild Alzheimer's Disease

<http://ClinicalTrials.gov/show/NCT01492374>

Study 74:

ARTDeCo Study: A Study of RO4995819 in Patients With Major Depressive Disorder And Inadequate Response to Ongoing Antidepressant Treatment

<http://ClinicalTrials.gov/show/NCT01457677>

Study 75:

A Study of RO4917838 in Patients With Acute Exacerbation of Schizophrenia

<http://ClinicalTrials.gov/show/NCT01234779>

Study 76:

Phase 3 IGIV, 10% in Alzheimer's Disease

<http://ClinicalTrials.gov/show/NCT01524887>

Study 77:

Ganaxolone in Posttraumatic Stress Disorder (PTSD)

<http://ClinicalTrials.gov/show/NCT01339689>

Study 78:

Safety and Efficacy of Rasagiline in Restless Legs Syndrome

<http://ClinicalTrials.gov/show/NCT01192503>

Study 79:

Cocaine Use Reduction With Buprenorphine

<http://ClinicalTrials.gov/show/NCT01402492>

Study 80:

A Randomized, Clinical Trial of Vitamin E and Memantine in Alzheimer's Disease

<http://ClinicalTrials.gov/show/NCT00235716>

Study 81:

Study of Aripiprazole (Abilify) Versus Placebo in Children With Subsyndromal Bipolar Disorder

<http://ClinicalTrials.gov/show/NCT00194012>

Study 82:

Efficacy Study of Lisdexamfetamine to Treat Binge Eating Disorder

<http://ClinicalTrials.gov/show/NCT01090713>

Study 83:

Adjunctive Lisdexamfetamine (LDX) in Bipolar Depression

<http://ClinicalTrials.gov/show/NCT01131559>

Study 84:

Efficacy Study of Lisdexamfetamine to Treat Bipolar Depression

<http://ClinicalTrials.gov/show/NCT01093963>

Study 85:

Multisite Controlled Trial of Cocaine Vaccine

<http://ClinicalTrials.gov/show/NCT00969878>

Study 86:

Armodafinil in Binge Eating Disorder (BED)

<http://ClinicalTrials.gov/show/NCT01010789>

Stroke

(10 clinical trials recruiting)

Study 1:

Efficacy and Safety Study of Desmoteplase to Treat Acute Ischemic Stroke (DIAS-4)

<http://ClinicalTrials.gov/show/NCT00856661>

Study 2:

Carotid Stenting vs. Surgery of Severe Carotid Artery Disease and Stroke Prevention in Asymptomatic Patients (ACT I)

<http://ClinicalTrials.gov/show/NCT00106938>

Study 3:

Efficacy and Safety Trial of Transcranial Laser Therapy Within 24 Hours From Stroke Onset (NEST-3)

<http://ClinicalTrials.gov/show/NCT01120301>

Study 4:

Prevention of Cardiovascular Events (eg, Death From Heart or Vascular Disease, Heart Attack, or Stroke) in Patients With Prior Heart Attack Using Ticagrelor Compared to Placebo on a Background of Aspirin

<http://ClinicalTrials.gov/show/NCT01225562>

Study 5:

Evaluation of the WATCHMAN LAA Closure Device in Patients With Atrial Fibrillation Versus Long Term Warfarin Therapy

<http://ClinicalTrials.gov/show/NCT01182441>

Study 6:

Insulin Resistance Intervention After Stroke Trial

<http://ClinicalTrials.gov/show/NCT00091949>

Study 7:

Cardiovascular Outcomes Study of Alogliptin in Subjects With Type 2 Diabetes and Acute Coronary Syndrome

<http://ClinicalTrials.gov/show/NCT00968708>

Study 8:

Cardiovascular Safety of Febuxostat and Allopurinol in Patients With Gout and Cardiovascular Comorbidities

<http://ClinicalTrials.gov/show/NCT01101035>

Study 9:

Cardiovascular Risk Reduction Study (Reduction in Recurrent Major CV Disease Events)

<http://ClinicalTrials.gov/show/NCT01327846>

Study 10:

Aliskiren Effect on Plaque Progression In Established Atherosclerosis Using High Resolution 3D MRI (ALPINE)

<http://ClinicalTrials.gov/show/NCT01417104>



Pharmaceutical Research and Manufacturers of America
950 F Street, NW, Washington, DC 20004

www.phrma.org